antibodies .- online.com





NCBP1 Protein (AA 1-790) (Strep Tag)



Overview

Quantity:	1 mg
Target:	NCBP1
Protein Characteristics:	AA 1-790
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NCBP1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MSRRRHSDEN DGGQPHKRRK TSDANETEDH LESLICKVGE KSACSLESNL EGLAGVLEAD LPNYKSKILR LLCTVARLLP EKLTIYTTLV GLLNARNYNF GGEFVEAMIR QLKESLKANN YNEAVYLVRF LSDLVNCHVI AAPSMVAMFE NFVSVTQEED VPQVRRDWYV YAFLSSLPWV GKELYEKKDA EMDRIFANTE SYLKRRQKTH VPMLQVWTAD KPHPQEEYLD CLWAQIQKLK KDRWQERHIL RPYLAFDSIL CEALQHNLPP FTPPPHTEDS VYPMPRVIFR MFDYTDDPEG PVMPGSHSVE RFVIEENLHC IIKSHWKERK TCAAQLVSYP GKNKIPLNYH IVEVIFAELF QLPAPPHIDV MYTTLLIELC KLQPGSLPQV LAQATEMLYM RLDTMNTTCV DRFINWFSHH LSNFQFRWSW EDWSDCLSQD PESPKPKFVR EVLEKCMRLS YHQRILDIVP PTFSALCPAN PTCIYKYGDE SSNSLPGHSV ALCLAVAFKS KATNDEIFSI LKDVPNPNQD DDDDEGFSFN PLKIEVFVQT LLHLAAKSFS HSFSALAKFH EVFKTLAESD EGKLHVLRVM FEVWRNHPQM IAVLVDKMIR TQIVDCAAVA NWIFSSELSR DFTRLFVWEI LHSTIRKMNK HVLKIQKELE EAKEKLARQH KRRSDDDDRS SDRKDGVLEE QIERLQEKVE SAQSEQKNLF LVIFQRFIMI

LTEHLVRCET DGTSVLTPWY KNCIERLQQI FLQHHQIIQQ YMVTLENLLF TAELDPHILA VFQQFCALQA

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- · The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:

NCBP1

Alternative Name:

NCBP1 (NCBP1 Products)

Background:

Nuclear cap-binding protein subunit 1 (80 kDa nuclear cap-binding protein) (CBP80) (NCBP 80 kDa subunit), FUNCTION: Component of the cap-binding complex (CBC), which binds cotranscriptionally to the 5'-cap of pre-mRNAs and is involved in various processes such as premRNA splicing, translation regulation, nonsense-mediated mRNA decay, RNA-mediated gene silencing (RNAi) by microRNAs (miRNAs) and mRNA export. The CBC complex is involved in mRNA export from the nucleus via its interaction with ALYREF/THOC4/ALY, leading to the recruitment of the mRNA export machinery to the 5'-end of mRNA and to mRNA export in a 5' to 3' direction through the nuclear pore. The CBC complex is also involved in mediating U snRNA and intronless mRNAs export from the nucleus. The CBC complex is essential for a pioneer round of mRNA translation, before steady state translation when the CBC complex is replaced by cytoplasmic cap-binding protein eIF4E. The pioneer round of mRNA translation mediated by the CBC complex plays a central role in nonsense-mediated mRNA decay (NMD), NMD only taking place in mRNAs bound to the CBC complex, but not on eIF4E-bound mRNAs. The CBC complex enhances NMD in mRNAs containing at least one exon-junction complex (EJC) via its interaction with UPF1, promoting the interaction between UPF1 and UPF2. The CBC complex is also involved in 'failsafe' NMD, which is independent of the EJC complex, while it does not participate in Staufen-mediated mRNA decay (SMD). During cell proliferation, the CBC complex is also involved in microRNAs (miRNAs) biogenesis via its interaction with SRRT/ARS2 and is required for miRNA-mediated RNA interference. The CBC complex also acts as a negative regulator of PARN, thereby acting as an inhibitor of mRNA deadenylation. In the CBC complex, NCBP1/CBP80 does not bind directly capped RNAs (m7GpppG-capped RNA) but

is required to stabilize the movement of the N-terminal loop of NCBP2/CBP20 and lock the CBC into a high affinity cap-binding state with the cap structure. Associates with NCBP3 to form an alternative cap-binding complex (CBC) which plays a key role in mRNA export and is particularly important in cellular stress situations such as virus infections. The conventional CBC with NCBP2 binds both small nuclear RNA (snRNA) and messenger (mRNA) and is involved in their export from the nucleus whereas the alternative CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby playing a role only in mRNA export. NCBP1/CBP80 is required for cell growth and viability (PubMed:26382858). {ECO:0000269|PubMed:11551508, ECO:0000269|PubMed:12093754, ECO:0000269|PubMed:15059963, ECO:0000269|PubMed:15361857, ECO:0000269|PubMed:16186820,

ECO:0000269|PubMed:16317009, ECO:0000269|PubMed:17190602,

ECO:0000269|PubMed:17873884, ECO:0000269|PubMed:18369367,

ECO:0000269|PubMed:19632182, ECO:0000269|PubMed:19648179,

ECO:0000269|PubMed:26382858, ECO:0000269|PubMed:7651522,

ECO:0000269|PubMed:8069914}.

Molecular Weight:

91.8 kDa

UniProt:

Q09161

Pathways:

Ribonucleoprotein Complex Subunit Organization, Photoperiodism, Methionine Biosynthetic **Process**

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)