
antibodies -online.com





C170RF85 Protein (AA 1-620) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	C170RF85
Protein Characteristics:	AA 1-620
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This C170RF85 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MAAVRGLRVS VKAEAPAGPA LGLPSPEAES GVDRGEPEPM EVEEGELEIV PVRRSLKELI
PDTSRRYENK AGSFITGIDV TSKEAIEKKE QRAKRFHFRS EVNLAQRNVA LDRDMMKKAI
PKVRLETIYI CGVDEMSTQD VFSYFKEYPP AHIEWLDDTS CNVVWLDEMT ATRALINMSS
LPAQDKIRSR DASEDKSAEK RKKDKQEDSS DDDEAEEGEV EDENSSDVEL DTLSQVEEES
LLRNDLRPAN KLAKGNRLFM RFATKDDKKE LGAARRSQYY MKYGNPNYGG MKGILSNSWK
RRYHSRRIQR DVIKKRALIG DDVGLTSYKH RHSGLVNVPE EPIEEEEEEE EEEEEEEED
QDMDADDRVV VEYHEELPAL KQPRERSASR RSSASSSDSD EMDYDLELKM ISTPSPKKSM
KMTMYADEVE SQLKNIRNSM RADSVSSSNI KNRIGNKLPP EKFADVRHLL DEKRQHSRPR
PPVSSTKSDI RQRLGKRPHS PEKAFSSNPV VRREPSSDVH SRLGVPRQDS KGLYADTREK
KSGNLWTRLG SAPKTKEKNT KKVDHRAPGA EEDDSELQRA WGALIKEKEQ SRQKKSRLDN
LPSLQIEVSR ESSSGSEAES

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag

through size exclusion chromatography. Eluate fractions are analyzed by SDS-P Western blot. Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) Grade: Crystallography grade Target Details Target: C170RF85 Alternative Name: NCBP3 (C170RF85 Products) Background: Nuclear cap-binding protein subunit 3 (Protein ELG), FUNCTION: Associates with N to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN. NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, I CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby ping only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECO:0000269)PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: O53F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications.		
Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) Grade: Crystallography grade Target Details Target: C170RF85 Alternative Name: NCBP3 (C170RF85 Products) Background: Nuclear cap-binding protein subunit 3 (Protein ELG), FUNCTION: Associates with N to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN. NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small r (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, in CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby plays only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECC-0.000269)PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: Q53F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications		2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
Grade: Crystallography grade Target Details Target: C170RF85 Alternative Name: NCBP3 (C170RF85 Products) Background: Nuclear cap-binding protein subunit 3 (Protein ELG), FUNCTION: Associates with N to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small r (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, to CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby plication only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECC:0000269 PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: Q53F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications.	Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Target: C170RF85 Alternative Name: NCBP3 (C170RF85 Products) Background: Nuclear cap-binding protein subunit 3 (Protein ELG),FUNCTION: Associates with N to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN. NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small r (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, in CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby play only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECC:0000269 PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: Q53F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional swell. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transl modifications.	Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Target: C170RF85 Alternative Name: NCBP3 (C170RF85 Products) Background: Nuclear cap-binding protein subunit 3 (Protein ELG),FUNCTION: Associates with N to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN. NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small r (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, t CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby ple only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECO:0000269)PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: Q53F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functions well. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transl modifications.	Grade:	Crystallography grade
Alternative Name: NCBP3 (C17ORF85 Products) Ruclear cap-binding protein subunit 3 (Protein ELG),FUNCTION: Associates with Note form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RNA NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small respectively. (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, to CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby play only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECO:0000269 PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: QS3F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional swell. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications.	Target Details	
Background: Nuclear cap-binding protein subunit 3 (Protein ELG),FUNCTION: Associates with N to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN. NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small r (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, the CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby play only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). (ECO:0000269 PubMed:26382858). Molecular Weight: 70.6 kDa UniProt: Q53F19 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies yet we cannot off guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transit modifications.	Target:	C170RF85
to form an alternative cap-binding complex (CBC) which plays a key role in mRNA NCBP3 serves as adapter protein linking the capped RNAs (m7GpppG-capped RN. NCBP1/CBP80. Unlike the conventional CBC with NCBP2 which binds both small respect (snRNA) and messenger (mRNA) and is involved in their export from the nucleus, the CBC with NCBP3 does not bind snRNA and associates only with mRNA thereby play only mRNA export. The alternative CBC is particularly important in cellular stress is such as virus infections and the NCBP3 activity is critical to inhibit virus growth (PubMed:26382858). {ECO:0000269 PubMed:26382858}. Molecular Weight: 70.6 kDa UniProt: Q53F19 Application Details Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional swell. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications.	Alternative Name:	NCBP3 (C170RF85 Products)
Application Notes: In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications.	Molecular Weight:	(PubMed:26382858). {ECO:0000269 PubMed:26382858}. 70.6 kDa
Application Notes: In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for functional studies yet we cannot off guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtain Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transly modifications.	Application Details	
Nicotiana tabacum c.v This contains all the protein expression machinery needed even the most difficult-to-express proteins, including those that require post-transl modifications.		In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
During lysate production, the cell wall and other cellular components that are not r	Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process