

Datasheet for ABIN3094160

TR4 Protein (AA 1-596) (Strep Tag)



Overview

Quantity:	250 μg
Target:	TR4 (NR2C2)
Protein Characteristics:	AA 1-596
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TR4 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details	
Brand:	AliCE®
Sequence:	MTSPSPRIQI ISTDSAVASP QRIQIVTDQQ TGQKIQIVTA VDASGSPKQQ FILTSPDGAG
	TGKVILASPE TSSAKQLIFT TSDNLVPGRI QIVTDSASVE RLLGKTDVQR PQVVEYCVVC
	GDKASGRHYG AVSCEGCKGF FKRSVRKNLT YSCRSNQDCI INKHHRNRCQ FCRLKKCLEM
	GMKMESVQSE RKPFDVQREK PSNCAASTEK IYIRKDLRSP LIATPTFVAD KDGARQTGLL
	DPGMLVNIQQ PLIREDGTVL LATDSKAETS QGALGTLANV VTSLANLSES LNNGDTSEIQ
	PEDQSASEIT RAFDTLAKAL NTTDSSSSPS LADGIDTSGG GSIHVISRDQ STPIIEVEGP
	LLSDTHVTFK LTMPSPMPEY LNVHYICESA SRLLFLSMHW ARSIPAFQAL GQDCNTSLVR
	ACWNELFTLG LAQCAQVMSL STILAAIVNH LQNSIQEDKL SGDRIKQVME HIWKLQEFCN
	SMAKLDIDGY EYAYLKAIVL FSPDHPGLTS TSQIEKFQEK AQMELQDYVQ KTYSEDTYRL
	ARILVRLPAL RLMSSNITEE LFFTGLIGNV SIDSIIPYIL KMETAEYNGQ ITGASL
	Sequence without tag. The proposed Strep-Tag is based on experience s with the express

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	TR4 (NR2C2)
Alternative Name:	NR2C2 (NR2C2 Products)
Background:	Nuclear receptor subfamily 2 group C member 2 (Orphan nuclear receptor TAK1) (Orphan
	nuclear receptor TR4) (Testicular receptor 4),FUNCTION: Orphan nuclear receptor that can act
	as a repressor or activator of transcription. An important repressor of nuclear receptor signaling
	pathways such as retinoic acid receptor, retinoid X, vitamin D3 receptor, thyroid hormone
	receptor and estrogen receptor pathways. May regulate gene expression during the late phase
	of spermatogenesis. Together with NR2C1, forms the core of the DRED (direct repeat erythroid-
	definitive) complex that represses embryonic and fetal globin transcription including that of
	GATA1. Binds to hormone response elements (HREs) consisting of two 5'-AGGTCA-3' half site
	direct repeat consensus sequences. Plays a fundamental role in early embryonic development
	and embryonic stem cells. Required for normal spermatogenesis and cerebellum development.
	Appears to be important for neurodevelopmentally regulated behavior (By similarity). Activates
	transcriptional activity of LHCG. Antagonist of PPARA-mediated transactivation. {ECO:0000250,
	ECO:0000269 PubMed:10347174, ECO:0000269 PubMed:10644740,
	ECO:0000269 PubMed:17974920, ECO:0000269 PubMed:7779113,
	ECO:0000269 PubMed:9556573}.
Molecular Weight:	65.4 kDa
UniProt:	P49116
Pathways:	TCR Signaling, Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling
	Pathway, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector
	Process, Production of Molecular Mediator of Immune Response, Tube Formation, Toll-Like
	Receptors Cascades
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.

Application Details

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months