Datasheet for ABIN3094178

C14orf169 + NO66 Protein (AA 1-641) (His tag)

1 Image

Go to Product page

Overview

Quantity:	1 mg
Target:	C14orf169 + NO66 (C14orf169)
Protein Characteristics:	AA 1-641
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This C14orf169 + NO66 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:	MDGLQASAGP LRRGRPKRRR KPQPHSGSVL ALPLRSRKIR KQLRSVVSRM AALRTQTLPS ENSEESRVES TADDLGDALP GGAAVAAVPD AARREPYGHL GPAELLEASP AARSLQTPSA RLVPASAPPA RLVEVPAAPV RVVETSALLC TAQHLAAVQS SGAPATASGP QVDNTGGEPA WDSPLRRVLA ELNRIPSSRR RAARLFEWLI APMPPDHFYR RLWEREAVLV RRQDHTYYQG LFSTADLDSM LRNEEVQFGQ HLDAARYING RRETLNPPGR ALPAAAWSLY QAGCSLRLLC PQAFSTTVWQ FLAVLQEQFG SMAGSNVYLT PPNSQGFAPH YDDIEAFVLQ LEGRKLWRVY RPRVPTEELA LTSSPNFSQD DLGEPVLQTV LEPGDLLYFP RGFIHQAECQ DGVHSLHLTL STYQRNTWGD FLEAILPLAV QAAMEENVEF RRGLPRDFMD YMGAQHSDSK DPRRTAFMEK VRVLVARLGH FAPVDAVADQ RAKDFIHDSL PPVLTDRERA LSVYGLPIRW EAGEPVNVGA QLTTETEVHM LQDGIARLVG EGGHLFLYYT VENSRVYHLE EPKCLEIYPQ QADAMELLLG SYPEFVRVGD LPCDSVEDQL SLATTLYDKG LLLTKMPLAL N
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

	special request, please contact us.
Characteristics:	• Made in Germany - from design to production - by highly experienced protein experts. • Human NO66 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	C14orf169 + NO66 (C14orf169)
Alternative Name:	NO66 (C14orf169 Products)
Background:	Oxygenase that can act as both a histone lysine demethylase and a ribosomal histidine hydroxylase. Specifically demethylates 'Lys-4' (H3K4me) and 'Lys-36' (H3K36me) of histone H3, thereby playing a central role in histone code. Preferentially demethylates trimethylated H3 'Lys-4' (H3K4me3) and monomethylated H3 'Lys-4' (H3K4me1) residues, while it has weaker activity for dimethylated H3 'Lys-36' (H3K36me2). Also catalyzes the hydroxylation of 60S ribosomal protein L8 on 'His-216'. Acts as a regulator of osteoblast differentiation via its interaction with SP7/OSX by demethylating H3K4me and H3K36me, thereby inhibiting SP7/OSX-mediated promoter activation (By similarity). May also play a role in ribosome biogenesis and in the replication or remodeling of certain heterochromatic region. Participates in MYC-induced transcriptional activation. {ECO:0000250, ECO:0000269|PubMed:14742713, ECO:0000269|PubMed:17308053, ECO:0000269|PubMed:23103944}.
Molecular Weight:	72.0 kDa Including tag.
UniProt:	Q9H6W3

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images

Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process