

Datasheet for ABIN3094238

CCRN4L Protein (AA 1-431) (Strep Tag)



Go to Product page

_						
	1//	Д	rv	16	٦/	٨
	W	\vdash	ΙV	Ιt	٦,	/V

Quantity:	250 μg
Target:	CCRN4L
Protein Characteristics:	AA 1-431
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CCRN4L protein is labelled with Strep Tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA

Product Details	
Brand:	AliCE®
Sequence:	MFHSPRRLCS ALLQRDAPGL RRLPAPGLRR PLSPPAAVPR PASPRLLAAA SAASGAARSC
	SRTVCSMGTG TSRLYSALAK TLNSSAASQH PEYLVSPDPE HLEPIDPKEL LEECRAVLHT
	RPPRFQRDFV DLRTDCPSTH PPIRVMQWNI LAQALGEGKD NFVQCPVEAL KWEERKCLIL
	EEILAYQPDI LCLQEVDHYF DTFQPLLSRL GYQGTFFPKP WSPCLDVEHN NGPDGCALFF
	LQNRFKLVNS ANIRLTAMTL KTNQVAIAQT LECKESGRQF CIAVTHLKAR TGWERFRSAQ
	GCDLLQNLQN ITQGAKIPLI VCGDFNAEPT EEVYKHFASS SLNLNSAYKL LSADGQSEPP
	YTTWKIRTSG ECRHTLDYIW YSKHALNVRS ALDLLTEEQI GPNRLPSFNY PSDHLSLVCD
	FSFTEESDGL S
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	CCRN4L
Alternative Name:	NOCT (CCRN4L Products)
Background:	Nocturnin (EC 3.1.3.108) (Carbon catabolite repression 4-like protein),FUNCTION: Phosphatase
	which catalyzes the conversion of NADP(+) to NAD(+) and of NADPH to NADH
	(PubMed:31147539). Shows a small preference for NADPH over NADP(+) (PubMed:31147539).
	Represses translation and promotes degradation of target mRNA molecules
	(PubMed:29860338). Plays an important role in post-transcriptional regulation of metabolic
	genes under circadian control (By similarity). Exerts a rhythmic post-transcriptional control of
	genes necessary for metabolic functions including nutrient absorption, glucose/insulin
	sensitivity, lipid metabolism, adipogenesis, inflammation and osteogenesis (By similarity). Plays
	an important role in favoring adipogenesis over osteoblastogenesis and acts as a key regulator
	of the adipogenesis/osteogenesis balance (By similarity). Promotes adipogenesis by facilitating
	PPARG nuclear translocation which activates its transcriptional activity (By similarity).
	Regulates circadian expression of NOS2 in the liver and negatively regulates the circadian
	expression of IGF1 in the bone (By similarity). Critical for proper development of early embryos
	(By similarity). {ECO:0000250 UniProtKB:035710, ECO:0000269 PubMed:29860338,
	ECO:0000269 PubMed:31147539}.
Molecular Weight:	48.2 kDa
UniProt:	Q9UK39
Pathways:	Ribonucleoprotein Complex Subunit Organization
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional

Application Details

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months