# antibodies .- online.com





# OCRL Protein (AA 1-901) (Strep Tag)



| ( ) | 11/0   | K\ /   | iew         |
|-----|--------|--------|-------------|
|     | $\cup$ | 'I V/I | $I \cap VV$ |
|     |        |        |             |

| Quantity:                     | 1 mg  |
|-------------------------------|---|
| Target:                       | OCRL  |
| Protein Characteristics:      | AA 1-901                                      |
| Origin:                       | Human   |
| Source:                       | Tobacco (Nicotiana tabacum)                   |
| Protein Type:                 | Recombinant                                   |
| Purification tag / Conjugate: | This OCRL protein is labelled with Strep Tag. |
| Application:                  | ELISA, Western Blotting (WB), SDS-PAGE (SDS)  |

#### **Product Details**

#### Sequence:

MEPPLPVGAQ PLATVEGMEM KGPLREPCAL TLAQRNGQYE LIIQLHEKEQ HVQDIIPINS

HFRCVQEAEE TLLIDIASNS GCKIRVQGDW IRERRFEIPD EEHCLKFLSA VLAAQKAQSQ

LLVPEQKDSS SWYQKLDTKD KPSVFSGLLG FEDNFSSMNL DKKINSQNQP TGIHREPPPP

PFSVNKMLPR EKEASNKEQP KVTNTMRKLF VPNTQSGQRE GLIKHILAKR EKEYVNIQTF

RFFVGTWNVN GQSPDSGLEP WLNCDPNPPD IYCIGFQELD LSTEAFFYFE SVKEQEWSMA

VERGLHSKAK YKKVQLVRLV GMMLLIFARK DQCRYIRDIA TETVGTGIMG KMGNKGGVAV

RFVFHNTTFC IVNSHLAAHV EDFERRNQDY KDICARMSFV VPNQTLPQLN IMKHEVVIWL

GDLNYRLCMP DANEVKSLIN KKDLQRLLKF DQLNIQRTQK KAFVDFNEGE IKFIPTYKYD

SKTDRWDSSG KCRVPAWCDR ILWRGTNVNQ LNYRSHMELK TSDHKPVSAL FHIGVKVVDE

RRYRKVFEDS VRIMDRMEND FLPSLELSRR EFVFENVKFR QLQKEKFQIS NNGQVPCHFS

FIPKLNDSQY CKPWLRAEPF EGYLEPNETV DISLDVYVSK DSVTILNSGE DKIEDILVLH

LDRGKDYFLT ISGNYLPSCF GTSLEALCRM KRPIREVPVT KLIDLEEDSF LEKEKSLLQM

VPLDEGASER PLQVPKEIWL LVDHLFKYAC HQEDLFQTPG MQEELQQIID CLDTSIPETI PGSNHSVAEA LLIFLEALPE PVICYELYQR CLDSAYDPRI CRQVISQLPR CHRNVFRYLM AFLRELLKFS EYNSVNANMI ATLFTSLLLR PPPNLMARQT PSDRQRAIQF LLGFLLGSEE D

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- · The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

### **Product Details**

| Purification:     | Two step purification of proteins expressed in Almost Living Cell-Free Expression System   |  |  |
|-------------------|--|--|--|
|                   | (ALICE®):  |  |  |
|                   | 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag   |  |  |
|                   | capture material. Eluate fractions are analyzed by SDS-PAGE.   |  |  |
|                   | <ol><li>Protein containing fractions of the best purification are subjected to second purification step<br/>through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and<br/>Western blot.</li></ol> |  |  |
| Purity:           | >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.   |  |  |
| Endotoxin Level:  | Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)  |  |  |
| Target Details    |  |  |  |
| Target:           | OCRL   |  |  |
| Alternative Name: | OCRL (OCRL Products)   |  |  |
| Background:       | Inositol polyphosphate 5-phosphatase OCRL (EC 3.1.3.36) (EC 3.1.3.56) (Inositol polyphosphate  |  |  |
|                   | 5-phosphatase OCRL-1) (OCRL-1) (Lowe oculocerebrorenal syndrome protein)   |  |  |
|                   | (Phosphatidylinositol 3,4,5-triphosphate 5-phosphatase) (EC 3.1.3.86),FUNCTION: Catalyzes the  |  |  |
|                   | hydrolysis of the 5-position phosphate of phosphatidylinositol 4,5-bisphosphate (PtdIns(4,5)P2)  |  |  |
|                   | and phosphatidylinositol-3,4,5-bisphosphate (PtdIns(3,4,5)P3), with the greatest catalytic   |  |  |
|                   | activity towards PtdIns(4,5)P2 (PubMed:7761412, PubMed:15474001, PubMed:9430698,   |  |  |
|                   | PubMed:10764818). Able also to hydrolyze the 5-phosphate of inositol 1,4,5-trisphosphate and   |  |  |
|                   | of inositol 1,3,4,5-tetrakisphosphate (PubMed:7761412, PubMed:25869668). Regulates traffic in  |  |  |
|                   | the endosomal pathway by regulating the specific pool of phosphatidylinositol 4,5-   |  |  |
|                   | bisphosphate that is associated with endosomes (PubMed:21971085). Involved in primary cilia  |  |  |
|                   | assembly (PubMed:22228094, PubMed:22543976). Acts as a regulator of phagocytosis,  |  |  |
|                   | hydrolyzing PtdIns(4,5)P2 to promote phagosome closure, through attenuation of PI3K  |  |  |
|                   | signaling (PubMed:22072788). {ECO:0000269 PubMed:10764818,   |  |  |
|                   | ECO:0000269 PubMed:15474001, ECO:0000269 PubMed:21971085,  |  |  |
|                   | ECO:0000269 PubMed:22072788, ECO:0000269 PubMed:22228094,  |  |  |
|                   | ECO:0000269 PubMed:22543976, ECO:0000269 PubMed:25869668,  |  |  |
|                   | ECO:0000269 PubMed:7761412, ECO:0000269 PubMed:9430698}.   |  |  |
| Molecular Weight: | 104.2 kDa  |  |  |
| UniProt:          | Q01968   |  |  |
| Pathways:         | Inositol Metabolic Process   |  |  |
|                   |  |  |  |

## **Application Details**

| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  |  |
|--------------------|---|--|
| Comment:           | ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.   |  |
|                    | During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein! |  |
| Restrictions:      | For Research Use only   |  |
| Handling           |   |  |
| Format:            | Liquid  |  |
| Buffer:            | The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.  |  |
| Handling Advice:   | Avoid repeated freeze-thaw cycles.  |  |
| Storage:           | -80 °C  |  |
| Storage Comment:   | Store at -80°C.   |  |
| Expiry Date:       | Unlimited (if stored properly)  |  |