

## Datasheet for ABIN3094322

## OSBPL3 Protein (AA 1-887) (Strep Tag)



## Overview

Quantity:	250 μg
Target:	OSBPL3
Protein Characteristics:	AA 1-887
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This OSBPL3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MMSDEKNLGV SQKLVSPSRS TSSCSSKQGS RQDSWEVVEG LRGEMNYTQE PPVQKGFLLK
	KRKWPLKGWH KRFFYLDKGI LKYAKSQTDI EREKLHGCID VGLSVMSVKK SSKCIDLDTE
	EHIYHLKVKS EEVFDEWVSK LRHHRMYRQN EIAMFPHEVN HFFSGSTITD SSSGVFDSIS
	SRKRSSISKQ NLFQTGSNVS FSCGGETRVP LWLQSSEDME KCSKDLAHCH AYLVEMSQLL
	QSMDVLHRTY SAPAINAIQG GSFESPKKEK RSHRRWRSRA IGKDAKGTLQ VPKPFSGPVR
	LHSSNPNLST LDFGEEKNYS DGSETSSEFS KMQEDLCHIA HKVYFTLRSA FNIMSAEREK
	LKQLMEQDAS SSPSAQVIGL KNALSSALAQ NTDLKERLRR IHAESLLLDS PAVAKSGDNL
	AEENSRDENR ALVHQLSNES RLSITDSLSE FFDAQEVLLS PSSSENEISD DDSYVSDISD
	NLSLDNLSND LDNERQTLGP VLDSGREAKS RRRTCLPAPC PSSSNISLWN ILRNNIGKDL
	SKVAMPVELN EPLNTLQRLC EELEYSELLD KAAQIPSPLE RMVYVAAFAI SAYASSYYRA
	GSKPFNPVLG ETYECIREDK GFQFFSEQVS HHPPISACHA ESRNFVFWQD VRWKNKFWGK

SMEIVPIGTT HVTLPVFGDH FEWNKVTSCI HNILSGQRWI EHYGEIVIKN LHDDSCYCKV
NFIKAKYWST NAHEIEGTVF DRSGKAVHRL FGKWHESIYC GGGSSSACVW RANPMPKGYE
QYYSFTQFAL ELNEMDPSSK SLLPPTDTRF RPDQRFLEEG NLEEAEIQKQ RIEQLQRERR
RVLEENHVEH QPRFFRKSDD DSWVSNGTYL ELRKDLGFSK LDHPVLW

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

### Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

# **Product Details** Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®). Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Grade: custom-made **Target Details** OSBPL3 Target: Alternative Name: OSBPL3 (OSBPL3 Products) Background: Oxysterol-binding protein-related protein 3 (ORP-3) (OSBP-related protein 3),FUNCTION: Phosphoinositide-binding protein which associates with both cell and endoplasmic reticulum (ER) membranes (PubMed:16143324). Can bind to the ER membrane protein VAPA and recruit VAPA to plasma membrane sites, thus linking these intracellular compartments (PubMed:25447204). The ORP3-VAPA complex stimulates RRAS signaling which in turn attenuates integrin beta-1 (ITGB1) activation at the cell surface (PubMed:18270267, PubMed:25447204). With VAPA, may regulate ER morphology (PubMed:16143324). Has a role in regulation of the actin cytoskeleton, cell polarity and cell adhesion (PubMed:18270267). Binds to phosphoinositides with preference for PI(3,4)P2 and PI(3,4,5)P3 (PubMed:16143324). Also binds 25-hydroxycholesterol and cholesterol (PubMed:17428193). {ECO:0000269|PubMed:16143324, ECO:0000269|PubMed:17428193, ECO:0000269|PubMed:18270267, ECO:0000269|PubMed:25447204}. Molecular Weight: 101.2 kDa UniProt: Q9H4L5 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

modifications.

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

even the most difficult-to-express proteins, including those that require post-translational

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

During lysate production, the cell wall and other cellular components that are not required for

Comment:

## **Application Details**

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

### Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months