

Datasheet for ABIN3094337

OTUD4 Protein (AA 1-1114) (Strep Tag)**1** Image[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	OTUD4
Protein Characteristics:	AA 1-1114
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This OTUD4 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MEAAVGVPDG GDQGGAGPRE DATPMDAYLR KLGLYRKLVA KDGSCLFRAV AEQVLHSQSR HVEVRMACIH YLRENREKFE AFIEGSFEEY LKRENPQEW VGQVEISALS LMYRKDFIY REPNVSPSQV TENNFPEKVL LCFSNGNHYD IVYPIKYKES SAMCQSLLYE LLYEKVFKTD VSKIVMELDT LEVADEDNSE ISDSEDDSCK SKTAAAAADV NGFKPLSGNE QLKNNGNSTS LPLSRKVLKS LNPAVYRNVE YEIWLKSKQA QQKRDYSIAA GLQYEVGDKC QVRLDHNGKF LNADVQGIHS ENGPVLVEEL GKKHTSKNLK APPPESWNTV SGKKMKKPST SGQNFHSDVD YRGPKNPSKP IKAPSALPPR LQHPSGVRQH AFSSHSSGSQ SQKFSSEHKN LSRTPSQIIR KPDREVERDF DHTSRESNYF GLSPEERREK QAIEESRLLY EIQNRDEQAF PALSSSSVNQ SASQSSNPCV QRKSSHVGDR KGSRRRMDTE ERKDKDSIHG HSQDKRPEP STLENITDDK YATVSSPSKS KKLECPSPAE QKPAEHVSLS NPAPLLVSPE VHLTPAVPSL PATVPAWPSE PTTFGPTGVP APIPVLSVTQ TLTTGPDSAV SQAHLTPSPV PVSQAVNQPL LMPLPQTLSL YQDPLYPGFP CNEKGDRAIV PPYSLCQTGE DLPKDKNLR FFFNLGVKAY SCPMWAPHSY
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

LYPLHQAYLA ACRMYPKVPV PVYPHNPWFQ EAPAAQNESD CTCTDAHFP M QTEASVNGQM
PQPEIGPPTF SSPLVIPPSQ VSESHGQLSY QADLESETPG QLLHADYEES LSGKNMFPQP
SFGPNPFLGP VPIAPPPFP VVYGYPFQGF IENPVMRQNI VLPSDEKGEL DLSLENLDLS
KDCGSVSTVD EFPEARGEHV HSLPEASVSS KPDEGRTEQS SQTRKADTAL ASIPPVAEGK
AHPPTQILNR ERETVPVELE PKRTIQLKE KTEKVKDPKT AADVSPGAN SVDSRVQRPK
EESSEDENEV SNILRSGRSK QFYNQTYGSR KYKSDWGYSG RGGYQHVRSE ESWKGQPSRS
RDEGYQYHRN VRGRPFRGDR RRS GMDGHR GQHT

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

Product Details

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	OTUD4
Alternative Name:	OTUD4 (OTUD4 Products)
Background:	OTU domain-containing protein 4 (EC 3.4.19.12) (HIV-1-induced protein HIN-1),FUNCTION: Deubiquitinase which hydrolyzes the isopeptide bond between the ubiquitin C-terminus and the lysine epsilon-amino group of the target protein (PubMed:23827681, PubMed:25944111, PubMed:29395066). May negatively regulate inflammatory and pathogen recognition signaling in innate immune response. Upon phosphorylation at Ser-202 and Ser-204 residues, via IL-1 receptor and Toll-like receptor signaling pathway, specifically deubiquitinates 'Lys-63'-polyubiquitinated MYD88 adapter protein triggering down-regulation of NF-kappa-B-dependent transcription of inflammatory mediators (PubMed:29395066). Independently of the catalytic activity, acts as a scaffold for alternative deubiquitinases to assemble specific deubiquitinase-substrate complexes. Associates with USP7 and USP9X deubiquitinases to stabilize alkylation repair enzyme ALKBH3, thereby promoting the repair of alkylated DNA lesions (PubMed:25944111). {ECO:0000269 PubMed:23827681, ECO:0000269 PubMed:25944111, ECO:0000269 PubMed:29395066}.
Molecular Weight:	124.0 kDa

Target Details

UniProt: [Q01804](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process