# antibodies .- online.com





## PHF19 Protein (AA 1-580) (His tag)





( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

Quantity:	1 mg
Target:	PHF19
Protein Characteristics:	AA 1-580
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PHF19 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

### **Product Details**

Sequence:

MENRALDPGT RDSYGATSHL PNKGALAKVK NNFKDLMSKL TEGQYVLCRW TDGLYYLGKI KRVSSSKQSC LVTFEDNSKY WVLWKDIQHA GVPGEEPKCN ICLGKTSGPL NEILICGKCG LGYHQQCHIP IAGSADQPLL TPWFCRRCIF ALAVRKGGAL KKGAIARTLQ AVKMVLSYQP EELEWDSPHR TNQQQCYCYC GGPGEWYLRM LQCYRCRQWF HEACTQCLNE PMMFGDRFYL FFCSVCNQGP EYIERLPLRW VDVVHLALYN LGVQSKKKYF DFEEILAFVN HHWELLQLGK LTSTPVTDRG PHLLNALNSY KSRFLCGKEI KKKKCIFRLR IRVPPNPPGK LLPDKGLLPN ENSASSELRK RGKSKPGLLP HEFQQQKRRV YRRKRSKFLL EDAIPSSDFT SAWSTNHHLA SIFDFTLDEI QSLKSASSGQ TFFSDVDSTD AASTSGSAST SLSYDSRWTV GSRKRKLAAK AYMPLRAKRW AAELDGRCPS DSSAEGASVP ERPDEGIDSH TFESISEDDS SLSHLKSSIT NYFGAAGRLA CGEKYQVLAR RVTPEGKVQY LVEWEGTTPY

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human PHF19 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade


## Target Details

Target:	PHF19	
Alternative Name:	PHF19 (PHF19 Products)	
Background:	Polycomb group (PcG) that specifically binds histone H3 trimethylated at 'Lys-36' (H3K36me3)	
	and recruits the PRC2 complex. Probably involved in the transition from an active state to a	
	repressed state in embryonic stem cells: acts by binding to H3K36me3, a mark for	
	transcriptional activation, and recruiting H3K36me3 histone demethylases NO66 or KDM2B,	
	leading to demethylation of H3K36 and recruitment of the PRC2 complex that mediates	
	H3K27me3 methylation, followed by de novo silencing. Recruits the PRC2 complex to CpG	
	islands and contributes to embryonic stem cell self-renewal. Also binds dimethylated at 'Lys-36	
	(H3K36me2). Isoform 1 and isoform 2 inhibit transcription from an HSV-tk promoter.	
	{ECO:0000269 PubMed:15563832, ECO:0000269 PubMed:21143197,	
	ECO:0000269 PubMed:23104054, ECO:0000269 PubMed:23160351}.	
Molecular Weight:	66.5 kDa Including tag.	
UniProt:	Q5T6S3	
Pathways:	Stem Cell Maintenance	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	

## Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process