

Datasheet for ABIN3094599

PIWIL4 Protein (AA 1-852) (Strep Tag)



Overview

Quantity:	250 μg
Target:	PIWIL4
Protein Characteristics:	AA 1-852
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This PIWIL4 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MSGRARVKAR GIARSPSATE VGRIQASPLP RSVDLSNNEA SSSNGFLGTS RISTNDKYGI
	SSGDAGSTFM ERGVKNKQDF MDLSICTREK LAHVRNCKTG SSGIPVKLVT NLFNLDFPQD
	WQLYQYHVTY IPDLASRRLR IALLYSHSEL SNKAKAFDGA ILFLSQKLEE KVTELSSETQ
	RGETIKMTIT LKRELPSSSP VCIQVFNIIF RKILKKLSMY QIGRNFYNPS EPMEIPQHKL
	SLWPGFAISV SYFERKLLFS ADVSYKVLRN ETVLEFMTAL CQRTGLSCFT QTCEKQLIGL
	IVLTRYNNRT YSIDDIDWSV KPTHTFQKRD GTEITYVDYY KQQYDITVSD LNQPMLVSLL
	KKKRNDNSEA QLAHLIPELC FLTGLTDQAT SDFQLMKAVA EKTRLSPSGR QQRLARLVDN
	IQRNTNARFE LETWGLHFGS QISLTGRIVP SEKILMQDHI CQPVSAADWS KDIRTCKILN
	AQSLNTWLIL CSDRTEYVAE SFLNCLRRVA GSMGFNVDYP KIIKVQENPA AFVRAIQQYV
	DPDVQLVMCI LPSNQKTYYD SIKKYLSSDC PVPSQCVLAR TLNKQGMMMS IATKIAMQMT
	CKLGGELWAV EIPLKSLMVV GIDVCKDALS KDVMVVGCVA SVNPRITRWF SRCILQRTMT

DVADCLKVFM TGALNKWYKY NHDLPARIIV YRAGVGDGQL KTLIEYEVPQ LLSSVAESSS NTSSRLSVIV VRKKCMPRFF TEMNRTVQNP PLGTVVDSEA TRNEWYDFYL ISQVACRGTV SPTYYNVIYD DNGLKPDHMQ RLTFKLCHLY YNWPGIVSVP APCQYAHKLT FLVAQSIHKE PSLELANHLF YL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Grade:	custom-made
Target Details	
Target:	PIWIL4
Alternative Name:	PIWIL4 (PIWIL4 Products)
Background:	Piwi-like protein 4,FUNCTION: Plays a central role during spermatogenesis by repressing
	transposable elements and preventing their mobilization, which is essential for the germline
	integrity (By similarity). Acts via the piRNA metabolic process, which mediates the repression of
	transposable elements during meiosis by forming complexes composed of piRNAs and Piwi
	proteins and governs the methylation and subsequent repression of transposons (By similarity)
	Directly binds piRNAs, a class of 24 to 30 nucleotide RNAs that are generated by a Dicer-
	independent mechanism and are primarily derived from transposons and other repeated
	sequence elements (By similarity). Associates with secondary piRNAs antisense and
	PIWIL2/MILI is required for such association (By similarity). The piRNA process acts upstream
	of known mediators of DNA methylation (By similarity). Does not show endonuclease activity
	(By similarity). Plays a key role in the piRNA amplification loop, also named ping-pong
	amplification cycle, by acting as a 'slicer-incompetent' component that loads cleaved piRNAs
	from the 'slicer-competent' component PIWIL2 and target them on genomic transposon loci in
	the nucleus (By similarity). May be involved in the chromatin-modifying pathway by inducing
	'Lys-9' methylation of histone H3 at some loci (PubMed:17544373). In addition to its role in
	germline, PIWIL4 also plays a role in the regulation of somatic cells activities. Plays a role in
	pancreatic beta cell function and insulin secretion (By similarity). Involved in maintaining cell
	morphology and functional integrity of retinal epithelial through Akt/GSK3alpha/beta signaling
	pathway (PubMed:28025795). When overexpressed, acts as an oncogene by inhibition of
	apoptosis and promotion of cells proliferation in tumors (PubMed:22483988).
	{ECO:0000250 UniProtKB:Q8CGT6, ECO:0000269 PubMed:17544373,
	ECO:0000269 PubMed:22483988, ECO:0000269 PubMed:28025795}.
Molecular Weight:	96.6 kDa

UniProt: Q7Z3Z4

Application Details

1 1	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months