antibodies .- online.com





PLA2G6 Protein (AA 1-806) (His tag)





Overview

Quantity:	1 mg
Target:	PLA2G6
Protein Characteristics:	AA 1-806
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PLA2G6 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MQFFGRLVNT FSGVTNLFSN PFRVKEVAVA DYTSSDRVRE EGQLILFQNT PNRTWDCVLV NPRNSQSGFR LFQLELEADA LVNFHQYSSQ LLPFYESSPQ VLHTEVLQHL TDLIRNHPSW SVAHLAVELG IRECFHHSRI ISCANCAENE EGCTPLHLAC RKGDGEILVE LVQYCHTQMD VTDYKGETVF HYAVQGDNSQ VLQLLGRNAV AGLNQVNNQG LTPLHLACQL GKQEMVRVLL LCNARCNIMG PNGYPIHSAM KFSQKGCAEM IISMDSSQIH SKDPRYGASP LHWAKNAEMA RMLLKRGCNV NSTSSAGNTA LHVAVMRNRF DCAIVLLTHG ANADARGEHG NTPLHLAMSK DNVEMIKALI VFGAEVDTPN DFGETPTFLA SKIGRLVTRK AILTLLRTVG AEYCFPPIHG VPAEQGSAAP HHPFSLERAQ PPPISLNNLE LQDLMHISRA RKPAFILGSM RDEKRTHDHL LCLDGGGVKG LIIIQLLIAI EKASGVATKD LFDWVAGTST GGILALAILH SKSMAYMRGM YFRMKDEVFR GSRPYESGPL EEFLKREFGE HTKMTDVRKP KVMLTGTLSD RQPAELHLFR NYDAPETVRE PRFNQNVNLR PPAQPSDQLV WRAARSSGAA PTYFRPNGRF LDGGLLANNP TLDAMTEIHE YNQDLIRKGQ ANKVKKLSIV VSLGTGRSPQ VPVTCVDVFR PSNPWELAKT

VFGAKELGKM VVDCCTDPDG RAVDRARAWC EMVGIQYFRL NPQLGTDIML DEVSDTVLVN ALWETEVYIY EHREEFQKLI QLLLSP

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human PLA2G6 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free

Product Details	
Grade:	Crystallography grade
Target Details	
Target:	PLA2G6
Alternative Name:	PLA2G6 (PLA2G6 Products)
Background:	Catalyzes the release of fatty acids from phospholipids. It has been implicated in normal phospholipid remodeling, nitric oxide-induced or vasopressin-induced arachidonic acid release and in leukotriene and prostaglandin production. May participate in fas mediated apoptosis and in regulating transmembrane ion flux in glucose-stimulated B-cells. Has a role in cardiolipin (CL) deacylation. Required for both speed and directionality of monocyte MCP1/CCL2-induced chemotaxis through regulation of F-actin polymerization at the pseudopods., Isoform ankyrin-iPLA2-1 and isoform ankyrin-iPLA2-2, which lack the catalytic domain, are probably involved in the negative regulation of iPLA2 activity.
Molecular Weight:	90.9 kDa Including tag.
UniProt:	060733
Pathways:	Positive Regulation of Peptide Hormone Secretion
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process