antibodies .- online.com





PLK4 Protein (AA 1-970) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	PLK4
Protein Characteristics:	AA 1-970
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PLK4 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence:

MATCIGEKIE DFKVGNLLGK GSFAGVYRAE SIHTGLEVAI KMIDKKAMYK AGMVQRVQNE
VKIHCQLKHP SILELYNYFE DSNYVYLVLE MCHNGEMNRY LKNRVKPFSE NEARHFMHQI
ITGMLYLHSH GILHRDLTLS NLLLTRNMNI KIADFGLATQ LKMPHEKHYT LCGTPNYISP
EIATRSAHGL ESDVWSLGCM FYTLLIGRPP FDTDTVKNTL NKVVLADYEM PSFLSIEAKD
LIHQLLRRNP ADRLSLSSVL DHPFMSRNSS TKSKDLGTVE DSIDSGHATI STAITASSST
SISGSLFDKR RLLIGQPLPN KMTVFPKNKS STDFSSSGDG NSFYTQWGNQ ETSNSGRGRV
IQDAEERPHS RYLRRAYSSD RSGTSNSQSQ AKTYTMERCH SAEMLSVSKR SGGGENEERY
SPTDNNANIF NFFKEKTSSS SGSFERPDNN QALSNHLCPG KTPFPFADPT PQTETVQQWF
GNLQINAHLR KTTEYDSISP NRDFQGHPDL QKDTSKNAWT DTKVKKNSDA SDNAHSVKQQ
NTMKYMTALH SKPEIIQQEC VFGSDPLSEQ SKTRGMEPPW GYQNRTLRSI TSPLVAHRLK
PIRQKTKKAV VSILDSEEVC VELVKEYASQ EYVKEVLQIS SDGNTITIYY PNGGRGFPLA
DRPPSPTDNI SRYSFDNLPE KYWRKYQYAS RFVQLVRSKS PKITYFTRYA KCILMENSPG

ADFEVWFYDG VKIHKTEDFI QVIEKTGKSY TLKSESEVNS LKEEIKMYMD HANEGHRICL ALESIISEEE RKTRSAPFFP IIIGRKPGST SSPKALSPPP SVDSNYPTRE RASFNRMVMH SAASPTQAPI LNPSMVTNEG LGLTTTASGT DISSNSLKDC LPKSAQLLKS VFVKNVGWAT QLTSGAVWVQ FNDGSQLVVQ AGVSSISYTS PNGQTTRYGE NEKLPDYIKQ KLQCLSSILL MFSNPTPNFH

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human PLK4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Purity: Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free Grade: Crystallography grade **Target Details** Target: PLK4 PLK4 (PLK4 Products) Alternative Name: Phage Protein Target Type: Serine/threonine-protein kinase that plays a central role in centriole duplication. Able to trigger Background: procentriole formation on the surface of the parental centriole cylinder, leading to the recruitment of centriole biogenesis proteins such as SASS6, CENPJ/CPAP, CCP110, CEP135 and gamma-tubulin. When overexpressed, it is able to induce centrosome amplification through the simultaneous generation of multiple procentrioles adjoining each parental centriole during S phase. Phosphorylates 'Ser-151' of FBXW5 during the G1/S transition, leading to inhibit FBXW5 ability to ubiquitinate SASS6. Its central role in centriole replication suggests a possible role in tumorigenesis, centrosome aberrations being frequently observed in tumors. Also involved in deuterosome-mediated centriole amplification in multiciliated that can generate more than 100 centrioles. Also involved in trophoblast differentiation by phosphorylating HAND1, leading to disrupt the interaction between HAND1 and MDFIC and activate HAND1. Phosphorylates CDC25C and CHEK2. {ECO:0000269|PubMed:16244668, ECO:0000269|PubMed:16326102, ECO:0000269|PubMed:17681131, ECO:0000269|PubMed:18239451, ECO:0000269|PubMed:19164942, ECO:0000269|PubMed:21725316}. Molecular Weight: 109.9 kDa Including tag.

Molecular Weight: 109.9 kDa Including tag.

UniProt: 000444

Pathways: M Phase

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.

Application Details

Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
FUIIIdl.	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Buffer: Handling Advice:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles.

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process