

Datasheet for ABIN3094675  
**ERVK-10 Protein (AA 1-1014) (Strep Tag)**



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	ERVK-10
Protein Characteristics:	AA 1-1014
Origin:	Human
Source:	Tobacco ( <i>Nicotiana tabacum</i> )
Protein Type:	Recombinant
Purification tag / Conjugate:	This ERVK-10 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: NKSRRRRNRV SFLGAVTVEP PKPIPLTWKT EKPVVVNQWP LPKQKLEALH LLANEQLEKG  
HIEPSFSPWN SPVFVIQKKS GKWHTLTDLR AVNAVIQPMG PLQPGLPSA MIPKDWPLII  
IDLKDCFFTI PLAEQDCEKF AFTIPAINNK EPATRFQWKV LPQGMLNSPT ICQTFVGRAL  
QPVREKFSDC YIIHYIDDIL CAAETKDKLI DCYTFLQAEV ANAGLAIASD KIQTSTPFHY  
LGMQIENRKI KPQKIEIRKD TLKTLNDFQK LLGDINWIRP TLGIPTYAMS NLFSILRGDS  
DLNSQRILTP EATKEIKLVE EKIQSAQINR IDPLAPLQLL IFATAHSPTG IIIQNTDLVE WSFLPHSTVK  
TFTLYLDQIA TLIGQTRLRI TKLCGNPDK IVVPLTKEQV RQAFINSGAW QIGLANFVGL  
IDNHYPKTKI FQFLKLTTWI LPKITRREPL ENALTVFTDG SSNGKAAAYTG PKERVIKTPY  
QSAQRDELVA VITVLQDFDQ PINIISDSAY VVQATRDVET ALIKYSMDDQ LNQLFNLLQQ  
TVRKRNFPHY ITYIRAHTNL PGPLTKANEQ ADLLVSSALI KAQELHALTH VNAAGLKNKF  
DVTWKQAKDI VQHCTQCQVL HLPTQEAGVN PRGLCPNALW QMDVTHVPSF GRLSYVHVTV  
DTYSHFIWAT CQTGESTSHV KKHLLSCFAV MGVPEKIKTD NGPGYCSKAF QKFLSQWKIS

HTTGIPYNSQ GQAIVERTNR TLKTQLVKQK EGGDSKECTT PQMQLNLALY TLNFLNIYRN  
QTTTSAEQHL TGKKNSPHEG KLIWWKDNKN KTWEIGKVIT WGRGFACVSP GENQLPVWLP  
TRHLKFYNEP IGDAAKRAST EMVTPVTWMD NPIEVYVNSD IWVPGPIDDR CPAKPEEEGM  
MINISIGYRY PPICLGRAPG CLMPAVQNWL VEVPTVSPIS RFTYHMVSGM SLRPRVNYLQ  
DFSYQRSLKF RPKGKPCPKE IPKESKNTEV LVWEECVANS AVIL

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its

## Product Details

---

specific reference buffer.

- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): <ol style="list-style-type: none"><li>1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol>
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

## Target Details

---

Target:	ERVK-10
Alternative Name:	ERVK-10 ( <a href="#">ERVK-10 Products</a> )
Background:	Endogenous retrovirus group K member 10 Pol protein (HERV-K10 Pol protein) (HERV-K107 Pol protein) (HERV-K_5q33.3 provirus ancestral Pol protein) [Includes: Reverse transcriptase (RT) (EC 2.7.7.49), Ribonuclease H (RNase H) (EC 3.1.26.4), Integrase (IN)],FUNCTION: Early post-infection, the reverse transcriptase converts the viral RNA genome into double-stranded viral DNA. The RNase H domain of the reverse transcriptase performs two functions. It degrades the RNA template and specifically removes the RNA primer from the RNA/DNA hybrid. Following nuclear import, the integrase catalyzes the insertion of the linear, double-stranded viral DNA into the host cell chromosome. Endogenous Pol proteins may have kept, lost or modified their original function during evolution.
Molecular Weight:	114.8 kDa
UniProt:	<a href="#">P10266</a>

## Application Details

---

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
--------------------	--

---

## Application Details

---

guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

## Handling

---

Format:

Liquid

Buffer:

The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice:

Avoid repeated freeze-thaw cycles.

Storage:

-80 °C

Storage Comment:

Store at -80°C.

Expiry Date:

Unlimited (if stored properly)



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process