

[Go to Product page](#)

Datasheet for ABIN3094708

**ERVK-7 Protein (AA 1-1459) (Strep Tag)**

## Overview

Quantity:	1 mg
Target:	ERVK-7
Protein Characteristics:	AA 1-1459
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ERVK-7 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

## Product Details

Sequence:	NKSRKRRNRL SFLGAATVEP PKPIPLTWKT EKPVWVNQWP LPKQKLEALH LLANEQLEKG HIEPSFSPWN SPVFVIQKKS GKWRMLTDLR AVNAVIQPMG PLQGPLSPA MIPKDWPLII IDLKDCFFTI PLAEQDCEKF AFTIPAINNK EPATRFQWKV LPQGMLNSPT ICQTFVGRAL QPVREKFSDC YIIHYIDDIL CAAETRDCLI DCYTFLQAEV ANAGLAIASD KIQTSTPFHY LGMQIENRKI KQQKIEIRKD TLKTLNDFQK LLGDINWIRP TLGIPTYAMS NLFSILRGDS DLNSKRILTP EATKEIKLVE EKIQSAQINR IDPLAPLQLL IFATAHSPTG IIIQNTDLVE WSFLPHSTVK TFTLYLDQIA TLIGQTRLRI IKLCGNPDPI IVVPLTKEQV RQAFINSGAW QIGLANFVGI IDNHYPKTKI FQFLKLTTWI LPKITRREPL ENALTVFTDG SSNGKAAAYTG PKERVIKTPY QSAQRAELVA VITVLQDFDQ PINIISDSAY VVQATRDVET ALIKYSMDQD LNQLFNLLQQ TVRKRNFPHY ITHIRAHTNL PGPLTKANEQ ADLLVSSALI KAQELHALTH VNAAGLKNKF DVTWKQAKDI VQHCTQCQIL HLPTQEAGVN PRGLCPNALW QMDVTHVPSF GRLSYVHVTV DTYSHFIWAT CQTGESTSHV KKHLLSCFAV MGVPEKIKTD NGPGYCSKAF QKFLSQWKIS
-----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

HTTGIPYNSQ GQAIVERTNR TLKTQLVKQK EGGDSKECTT PQMQLNLALY TLNFLNIYRN  
QTTTSAEQHL TGKKNSPHEG KLIWWKDNKN KTWEIGKVIT WGRGFACVSP GENQLPVWIP  
TRHLKFYNP IGDAAKRAST EMVTPVTWMD NPPIYVNDV VVWPGPIDDR CPAKPEEEGM  
MINISIGYRY PPICLGRAPG CLMPAVQNLV VEVPTVSPIS RFTYHVMVSGM SLRPRVNYLQ  
DFSYQRSLKF RPKGKPCPKE IPKESKNTEV LVWEECVANS AVILQNNFEG TIIDWAPRGQ  
FYHNCSGQTQ SCPSAQVSPA VSDLTESLD KHKHKKLQSF YPWEWGEKGI STPRPKIVSP  
VSGPEHPELW RLTVASHHIR IWSGNQLET RDCKPFYTID LNSSLTVPLQ SCVKPPYMLV  
VGNIVKPDS QTITCENCRL LTCIDSTFNW QHRILLVRAR EGVWIPVSMR RPWEASPSVH  
ILTEVLKGVN NRSKRIFTL IAVIMGLIAV TATAAVAGVA LHSSVQSVNF VNDWQKNSTR  
LWNSQSSIDQ KLANQINDLR QTVIWMGDRL MSLEHRFQLQ CDWNTSDFCI TPQIYNESEH  
HWDMMVRRHLQ GREDNLTLDI SKLKEQIFEA SKAHLNLVPG TEAIGVADG LANLNPVTWW  
KTIGSTTIIN LILILVCLFC LLLVCRCTQQ LRRDSDHRER AMMTMAVLSK RKGGNVGKSK  
RDQIVTVSV

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for

Product Details

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):  1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	ERVK-7
Alternative Name:	ERVK-7 ( <a href="#">ERVK-7 Products</a> )
Background:	Endogenous retrovirus group K member 7 Pol protein (HERV-K(III) Pol protein) (HERV-K102 Pol protein) (HERV-K_1q22 provirus ancestral Pol protein) [Includes: Reverse transcriptase (RT) (EC 2.7.7.49), Ribonuclease H (RNase H) (EC 3.1.26.4), Integrase (IN)],FUNCTION: Early post-infection, the reverse transcriptase converts the viral RNA genome into double-stranded viral DNA. The RNase H domain of the reverse transcriptase performs two functions. It degrades the RNA template and specifically removes the RNA primer from the RNA/DNA hybrid. Following nuclear import, the integrase catalyzes the insertion of the linear, double-stranded viral DNA into the host cell chromosome. Endogenous Pol proteins may have kept, lost or modified their

## Target Details

	original function during evolution.
Molecular Weight:	165.2 kDa
UniProt:	<a href="#">P63135</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)