# antibodies .- online.com





### PRDM9 Protein (AA 1-894) (His tag)





#### Go to Product page

#### Overview

Quantity:	1 mg
Target:	PRDM9
Protein Characteristics:	AA 1-894
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PRDM9 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

#### **Product Details**

Sequence:

MSPEKSQEES PEEDTERTER KPMVKDAFKD ISIYFTKEEW AEMGDWEKTR YRNVKRNYNA
LITIGLRATR PAFMCHRRQA IKLQVDDTED SDEEWTPRQQ VKPPWMALRV EQRKHQKGMP
KASFSNESSL KELSRTANLL NASGSEQAQK PVSPSGEAST SGQHSRLKLE LRKKETERKM
YSLRERKGHA YKEVSEPQDD DYLYCEMCQN FFIDSCAAHG PPTFVKDSAV DKGHPNRSAL
SLPPGLRIGP SGIPQAGLGV WNEASDLPLG LHFGPYEGRI TEDEEAANNG YSWLITKGRN
CYEYVDGKDK SWANWMRYVN CARDDEEQNL VAFQYHRQIF YRTCRVIRPG CELLVWYGDE
YGQELGIKWG SKWKKELMAG REPKPEIHPC PSCCLAFSSQ KFLSQHVERN HSSQNFPGPS
ARKLLQPENP CPGDQNQEQQ YPDPHSRNDK TKGQEIKERS KLLNKRTWQR EISRAFSSPP
KGQMGSCRVG KRIMEEESRT GQKVNPGNTG KLFVGVGISR IAKVKYGECG QGFSVKSDVI
THQRTHTGEK LYVCRECGRG FSWKSHLLIH QRIHTGEKPY VCRECGRGFS WQSVLLTHQR
THTGEKPYVC RECGRGFSRQ SVLLTHQRRH TGEKPYVCRE CGRGFSRQSV LLTHQRRHTG
EKPYVCRECG RGFSWQSVLL THQRTHTGEK PYVCRECGRG FSWQSVLLTH QRTHTGEKPY

VCRECGRGFS NKSHLLRHQR THTGEKPYVC RECGRGFRDK SHLLRHQRTH TGEKPYVCRECGRGFRDKSN LLSHQRTHTG EKPYVCRECG RGFSNKSHLL RHQRTHTGEK PYVCRECGRGFRNKSHLLRH QRTHTGEKPY VCRECGRGFS DRSSLCYHQR THTGEKPYVC REDE

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Human PRDM9 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

## **Product Details** Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details PRDM9 Target: Alternative Name: PRDM9 (PRDM9 Products) Background: Histone methyltransferase that specifically trimethylates 'Lys-4' of histone H3 during meiotic prophase and is essential for proper meiotic progression. Does not have the ability to monoand dimethylate 'Lys-4' of histone H3. H3 'Lys-4' methylation represents a specific tag for epigenetic transcriptional activation. Plays a central role in the transcriptional activation of genes during early meiotic prophase (By similarity). {ECO:0000250}. 104.3 kDa Including tag. Molecular Weight: UniProt: Q9NQV7 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. -80 °C Storage:


Store at -80°C.

Storage Comment:

Expiry Date:

Unlimited (if stored properly)

Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process