

## Datasheet for ABIN3094872

# RAD51 Homolog B Protein (Rad51B) (AA 1-384) (Strep Tag)



### Overview

Quantity:	1 mg
Target:	RAD51 Homolog B (Rad51B)
Protein Characteristics:	AA 1-384
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RAD51 Homolog B protein is labelled with Strep Tag.
Application:	SDS-PAGE (SDS), ELISA, Western Blotting (WB)

Product Details	
Brand:	AliCE®
Sequence:	MGSKKLKRVG LSQELCDRLS RHQILTCQDF LCLSPLELMK VTGLSYRGVH ELLCMVSRAC
	APKMQTAYGI KAQRSADFSP AFLSTTLSAL DEALHGGVAC GSLTEITGPP GCGKTQFCIM
	MSILATLPTN MGGLEGAVVY IDTESAFSAE RLVEIAESRF PRYFNTEEKL LLTSSKVHLY
	RELTCDEVLQ RIESLEEEII SKGIKLVILD SVASVVRKEF DAQLQGNLKE RNKFLAREAS
	SLKYLAEEFS IPVILTNQIT THLSGALASQ ADLVSPADDL SLSEGTSGSS CVIAALGNTW
	SHSVNTRLIL QYLDSERRQI LIAKSPLAPF TSFVYTIKEE GLVLQETTFC SVTQAELNWA
	PEILPPQPPE QLGLQMCHHT QLIF
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	RAD51 Homolog B (Rad51B)

# **Target Details**

Alternative Name:	RAD51B (Rad51B Products)
Background:	DNA repair protein RAD51 homolog 2 (R51H2) (RAD51 homolog B) (Rad51B) (RAD51-like
	protein 1),FUNCTION: Involved in the homologous recombination repair (HRR) pathway of
	double-stranded DNA breaks arising during DNA replication or induced by DNA-damaging
	agents. May promote the assembly of presynaptic RAD51 nucleoprotein filaments. Binds
	single-stranded DNA and double-stranded DNA and has DNA-dependent ATPase activity. Part
	of the RAD51 paralog protein complex BCDX2 which acts in the BRCA1-BRCA2-dependent HR
	pathway. Upon DNA damage, BCDX2 acts downstream of BRCA2 recruitment and upstream o
	RAD51 recruitment. BCDX2 binds predominantly to the intersection of the four duplex arms of
	the Holliday junction and to junction of replication forks. The BCDX2 complex was originally
	reported to bind single-stranded DNA, single-stranded gaps in duplex DNA and specifically to
	nicks in duplex DNA. The BCDX2 subcomplex RAD51B:RAD51C exhibits single-stranded DNA-
	dependent ATPase activity suggesting an involvement in early stages of the HR pathway.
	{ECO:0000269 PubMed:11751635, ECO:0000269 PubMed:11751636,
	ECO:0000269 PubMed:11842113, ECO:0000269 PubMed:12441335,
	ECO:0000269 PubMed:23108668, ECO:0000269 PubMed:23149936}.
Molecular Weight:	42.2 kDa
UniProt:	015315
Pathways:	DNA Damage Repair
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce

# **Application Details**

	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months