

Datasheet for ABIN3094876

## RAD50 Protein (AA 1-1312) (Strep Tag)



[Go to Product page](#)

### Overview

|                               |  |
|-------------------------------|--|
| Quantity:                     | 250 µg   |
| Target:                       | RAD50  |
| Protein Characteristics:      | AA 1-1312                                      |
| Origin:                       | Human  |
| Source:                       | Cell-free protein synthesis (CFPS)             |
| Protein Type:                 | Recombinant                                    |
| Purification tag / Conjugate: | This RAD50 protein is labelled with Strep Tag. |
| Application:                  | SDS-PAGE (SDS), Western Blotting (WB), ELISA   |

### Product Details

|           |   |
|-----------|---|
| Brand:    | AliCE®  |
| Sequence: | <p>MSRIEKMSIL GVRSGIEDK DKQIITFFSP LTILVGPNGA GKTTIECLK YICTGDFPPG</p> <p>TKGNTFVHDP KVAQETDVRA QIRLQFRDVN GELIAVQRSM VCTQKSKKTE FKTLEGVITR</p> <p>TKHGEKVSL SKCAEIDREM ISSLGVSKAV LNNVIFCHQE DSNWPLSEGG ALKQKFDEIF</p> <p>SATRYIKALE TLRQVRQTQG QKVKEYQMEL KYLKQYKEKA CEIRDQITSK EAQLTSSKEI</p> <p>VKSYENELDP LKNRLKEIEH NLSKIMKLDN EIKALDSRKK QMEKDNSELE EKMEKVFQGT</p> <p>DEQLNDLYHN HQRTVREKER KLVDCHRELE KLNKESRLLN QEKSELLVEQ GRLQLQADRH</p> <p>QEHIRARDSL IQSLATQLEL DGFERGPFSE RQIKNFHKLK RERQEGEAKT ANQLMNDFAE</p> <p>KETLKQKQID EIRDKKTGLG RIELKSEIL SKKQNELKNV KYELQQLEGS SDRILELDQE LIKAERELSK</p> <p>AEKNSNVETL KMEVISLQNE KADLDRTLRK LDQEMEQLNH HTTTRTQMEM LTKDKADKDE</p> <p>QIRKIKSRHS DELTSLLGYF PNKKQLEDWL HSKSKEINQT RDLAKLNKE LASSEQNKNH</p> <p>INNELKRKEE QLSSYEDKLF DVCQSQDFES DLDRLKEEIE KSSQQRAML A GATAVYSQFI</p> |

TQLTDENQSC CPVCQRVFQT EAELEQEVISD LQSKLRLAPD KKKSTESSELK KKEKRRDEML  
GLVPMRQSII DLKEKEIPEL RNKLQNVNRD IQRLKNDIEE QETLLGTIMP EEESAKVCLT  
DVTIMERFQM ELKDVERKIA QQAACLQGID LDRTVQQVNQ EKQEKQHKLD TVSSKIELNR  
KLIQDQQEQI QHLKSTTNEL KSEKLQISTN LQRRQQLEEQ TVELSTEVQS LYREIKDAKE  
QVSPLETTLE KQQEKEELI NKKNTSNKIA QDKLNDIKEK VKNIHGYMKD IENYIQDGKD  
DYKKQKETEL NKVIAQLSEC EKHKEKINED MRLMRQDIDT QKIQERWLQD NLTLRKRNEE  
LKEVEEERKQ HLKEMGQMQV LQMKSEHQKL EENIDNIKRN HNLALGRQKG YEEIIHFKK  
ELREPQFRDA EEKYREMMIV MRTTELNVND LDIYYKTLQ AIMKFHSMKM EEINKIIRDL  
WRSTYRGQDI EYIEIRSDAD ENVSASDKRR NYNYRVVMLK GDTALDMRGR CSAGQKVLAS  
LIIRLALAET FCLNCGIIAL DEPTTNLDRE NIESLAHALV EIKSRSQQR NFQLLVITHD EDFVELLGRS  
EYVEKFYRIK KNIDQCSEIV KCSVSSLGFN VH

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system -

## Product Details

all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

|               |  |
|---------------|--|
| Purification: | One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®). |
| Purity:       | > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).                                 |
| Grade:        | custom-made  |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | RAD50   |
| Alternative Name: | RAD50 ( <a href="#">RAD50 Products</a> )  |
| Background:       | <p>DNA repair protein RAD50 (hRAD50) (EC 3.6.-.-),FUNCTION: Component of the MRN complex, which plays a central role in double-strand break (DSB) repair, DNA recombination, maintenance of telomere integrity and meiosis. The complex possesses single-strand endonuclease activity and double-strand-specific 3'-5' exonuclease activity, which are provided by MRE11. RAD50 may be required to bind DNA ends and hold them in close proximity. This could facilitate searches for short or long regions of sequence homology in the recombining DNA templates, and may also stimulate the activity of DNA ligases and/or restrict the nuclease activity of MRE11 to prevent nucleolytic degradation past a given point (PubMed:11741547, PubMed:9590181, PubMed:9705271, PubMed:9651580). The complex may also be required for DNA damage signaling via activation of the ATM kinase (PubMed:15064416). In telomeres the MRN complex may modulate t-loop formation (PubMed:10888888).</p> <p>{ECO:0000269 PubMed:10888888, ECO:0000269 PubMed:11741547, ECO:0000269 PubMed:15064416, ECO:0000269 PubMed:9590181, ECO:0000269 PubMed:9651580, ECO:0000269 PubMed:9705271}.</p> |
| Molecular Weight: | 153.9 kDa   |
| UniProt:          | <a href="#">Q92878</a>  |
| Pathways:         | <a href="#">DNA Damage Repair</a> , <a href="#">Protein targeting to Nucleus</a>  |

## Application Details

**Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

**Comment:** ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

**Restrictions:** For Research Use only

## Handling

**Format:** Liquid

**Buffer:** The buffer composition is at the discretion of the manufacturer.  
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

**Handling Advice:** Avoid repeated freeze-thaw cycles.

**Storage:** -80 °C

**Storage Comment:** Store at -80°C.

**Expiry Date:** 12 months