

Datasheet for ABIN3094925

**RERE Protein (AA 1-1566) (Strep Tag)**[Go to Product page](#)**1** Image

## Overview

Quantity:	1 mg
Target:	RERE
Protein Characteristics:	AA 1-1566
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RERE protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Sequence:	MTADKDKDKD KEKDRDRDRD REREKRDAR ESENSRPRRS CTLEGGAKNY AESDHSEDED NDNNSATAEE STKKNKKKPP KKKSRYERTD TGEITSYTE DDVVYRPGDC VYIESRRPNT PYFICSIQDF KLVHNSQACC RSPTPALCDP PACSLPVASQ PPQHLSEAGR GPVGSKRDLH LMNVKWYYRQ SEVPDSVYQH LVQDRHNEND SGRELVITDP VIKNRELFIS DYVDTYHAAA LRGKCNISHF SDIFAAREFK ARVDSFFYIL GYNPETRRLN STQGEIRVGP SHQAKLPDLQ PFPSPDGDV TQHEELVWMP GVNDCDLLMY LRAARSMAAF AGMCDGGSTE DGCVAASRDD TTLNALNTLH ESGYDAGKAL QRLVKKPVPK LIEKCWTEDE VKRFVKGLRQ YGKNFFRIRK ELLPNKETGE LITFYYYWKK TPEAASSRAH RRHRRQAVFR RIKTRTASTP VNTPSRPPSS EFLDLSSASE DDFDSEDSEQ ELKGYACRHC FTTTSKDWHH GGRENILLCT DCRIHFKKYG ELPPIEKVD PPPFMFKPVK EDDGLSGKH SMTRRRSRGS MSTLRSGRKK QPASPDGRTS PINEDIRSSG RNSPSAASTS SNDSKAETVK KSAKKVKEEA SSPLKSNKRQ REKVASDTEE ADRTSSKTK TQEISRPNSP SEGEGESSDS RSVNDEGSSD PKDIDQDNRS TSPSIPSPQD
-----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

NESDSDSSAQ QQMLQAQPPA LQAPTGVTPA PSSAPPGTPQ LPTPGTPSA TAVPPQGSPT  
ASQAPNQPPA PTAPVPHTHI QQAPALHPQR PPSPHPPHP SPHPPLQPLT GSAGQPSAPS  
HAQPPLHGQG PPGPHSLQAG PLLQHPGPPQ PFGLPPQASQ GQAPLGTSPA AAYPHTSLQL  
PASQSALQSQ QPPREQPLPP APLAMPHIKP PPTTPIPQLP APQAHKHPPH LSGSPFSMN  
ANLPPPPALK PLSSLSTHHP PSAHPPPLQL MPQSQPLPSS PAQPPGLTQS QNLPPPPASH  
PPTGLHQVAP QPPFAQHPFV PGGPPPITPP TCPSTSTPPA GPGTSAQPPC SGAAASGGSI  
AGGSSCPLPT VQIKEEALDD AEEPESPPPP PRSPSPEPTV VDTPSHASQS ARFYKHLDRG  
YNSCARTDLY FMPLAGSKLA KKREEAIEKA KREAEQKARE EREKEKEKEK EREKERERER  
EAERAAKASS SAHEGRLSDP QLSGPGHMRP SFEPPTTIA AVPPYIGPDT PALRTLSEYA  
RPHVMSPTNR NHPFYMPLNP TDPLLAYHMP GLYNVDPTIR ERELREIR EREIRERELR  
ERMKPGFEVK PPELDPLHPA ANPMEHFARH SALTIPPTAG PHPFASFHPG LNPLERERLA  
LAGPQLRPEM SYPDRLAAER IHAERMASLT SDPLARLQMF NVTPHHHQHS HIHSHLHLHQ  
QDPLHQGSAG PVHPLVDPLT AGPHLARFPY PPGTLNPLL GQPPHEHEML RHPVFGTPYP  
RDLPGAIPPP MSAAHQLQAM HAQSAELQRL AMEQQWLHGH PHMHGGHLPS QEDYYSRLKK  
EGDKQL

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-

Product Details

translational modifications.

- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):  1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	RERE
Alternative Name:	RERE ( <a href="#">RERE Products</a> )
Background:	Arginine-glutamic acid dipeptide repeats protein (Atrophin-1-like protein) (Atrophin-1-related protein),FUNCTION: Plays a role as a transcriptional repressor during development. May play a role in the control of cell survival. Overexpression of RERE recruits BAX to the nucleus particularly to POD and triggers caspase-3 activation, leading to cell death. {ECO:0000269 PubMed:11331249}.
Molecular Weight:	172.4 kDa

## Target Details

UniProt:	<a href="#">Q9P2R6</a>
Pathways:	<a href="#">Protein targeting to Nucleus</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process