antibodies .- online.com





RAD17 Protein (RAD17) (AA 1-681) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	RAD17
Protein Characteristics:	AA 1-681
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RAD17 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MSKTFLRPKV SSTKVTDWVD PSFDDFLECS GVSTITATSL GVNNSSHRRK NGPSTLESSR
FPARKRGNLS SLEQIYGLEN SKEYLSENEP WVDKYKPETQ HELAVHKKKI EEVETWLKAQ
VLERQPKQGG SILLITGPPG CGKTTTLKIL SKEHGIQVQE WINPVLPDFQ KDDFKGMFNT
ESSFHMFPYQ SQIAVFKEFL LRATKYNKLQ MLGDDLRTDK KIILVEDLPN QFYRDSHTLH
EVLRKYVRIG RCPLIFIISD SLSGDNNQRL LFPKEIQEEC SISNISFNPV APTIMMKFLN RIVTIEANKN
GGKITVPDKT SLELLCQGCS GDIRSAINSL QFSSSKGENN LRPRKKGMSL KSDAVLSKSK
RRKKPDRVFE NQEVQAIGGK DVSLFLFRAL GKILYCKRAS LTELDSPRLP SHLSEYERDT
LLVEPEEVVE MSHMPGDLFN LYLHQNYIDF FMEIDDIVRA SEFLSFADIL SGDWNTRSLL
REYSTSIATR GVMHSNKARG YAHCQGGGSS FRPLHKPQWF LINKKYRENC LAAKALFPDF
CLPALCLQTQ LLPYLALLTI PMRNQAQISF IQDIGRLPLK RHFGRLKMEA LTDREHGMID
PDSGDEAQLN GGHSAEESLG EPTQATVPET WSLPLSQNSA SELPASQPQP FSAQGDMEEN
IIIEDYESDG T

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade: Crystallography grade

Target Details

Target: RAD17

Alternative Name: RAD17 (RAD17 Products)

Background: Cell cycle checkpoint protein RAD17 (hRad17) (RF-C/activator 1 homolog),FUNCTION: Essential

for sustained cell growth, maintenance of chromosomal stability, and ATR-dependent checkpoint activation upon DNA damage (PubMed:10208430, PubMed:11418864,

PubMed:11687627, PubMed:11799063, PubMed:12672690, PubMed:14624239,

PubMed:15235112). Has a weak ATPase activity required for binding to chromatin

(PubMed:10208430, PubMed:11418864, PubMed:11687627, PubMed:11799063,

PubMed:12672690, PubMed:14624239, PubMed:15235112). Participates in the recruitment of

the 9-1-1 (RAD1-RAD9-HUS1) complex and RHN01 onto chromatin, and in CHEK1 activation

(PubMed:21659603). May also serve as a sensor of DNA replication progression, and may be

involved in homologous recombination (PubMed:14500819, PubMed:12578958,

PubMed:15538388). {ECO:0000269|PubMed:10208430, ECO:0000269|PubMed:11418864,

ECO:0000269|PubMed:11687627, ECO:0000269|PubMed:11799063,

ECO:0000269|PubMed:12578958, ECO:0000269|PubMed:12672690,

ECO:0000269|PubMed:14500819, ECO:0000269|PubMed:14624239,

ECO:0000269|PubMed:15235112, ECO:0000269|PubMed:15538388,

ECO:0000269|PubMed:21659603}.

Molecular Weight: 77.1 kDa

UniProt: 075943

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

Application Details

	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request,
	please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process