

Datasheet for ABIN3094947

## RELB Protein (AA 1-579) (Strep Tag)



[Go to Product page](#)

### Overview

|                               |   |
|-------------------------------|---|
| Quantity:                     | 1 mg  |
| Target:                       | RELB  |
| Protein Characteristics:      | AA 1-579                                      |
| Origin:                       | Human   |
| Source:                       | Tobacco (Nicotiana tabacum)                   |
| Protein Type:                 | Recombinant                                   |
| Purification tag / Conjugate: | This RELB protein is labelled with Strep Tag. |
| Application:                  | Western Blotting (WB), SDS-PAGE (SDS), ELISA  |

### Product Details

Sequence: MLRSGPASGP SVPTGRAMPS RRVARPPAAP ELGALGSPDL SSLSLAVSRS TDELEIIDEY  
IKENGFGLDG GQPGPGGLP RLVSARGAASL STVTLGVPAP PATPPPWGCP LGRLVSPAPG  
PGPQPHLVIT EQPKQRGMR FRYECEGRSAG SILGESSTEAK SKTLPAIELR DCGGLREVEV  
TACLVWKDWP HRVHPHSLVG KDCTDGICRV RLRPHVSPRH SFNNLGIQCV RKKEIEAAIE  
RKIQLGIDPY NAGSLKNHQE VDMNVVRICF QASYRDQQGQ MRRMDPVLSE PVYDKKSTNT  
SELRICRINK ESGPCTGSEE LYLLCDKVQK EDISVFSRA SWEGRADFSQ ADVHRQIAIV  
FKTPPYEDLE IVEPVTNVNF LQRLTDGVCS EPLPFTYLPR DHDSYGVDKK RKRGMPPDVLG  
ELNSSDPHGI ESKRRKKKPA ILDHFLPNHG SGPFLPPSAL LPDPDFFSGT VSLPGLEPPG  
GPDLLDDGFA YDPTAPTLFT MLDLLPPAPP HASAVVCSGG AGAVVGETPG PEPLTLDYSYQ  
APGPGDGGTA SLVGSNMFPN HYREAAFGGG LLSPGPEAT

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you**

**have a special request, please contact us.**

---

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

---

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

---

Purity:

> 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

## Target Details

|                   |   |
|-------------------|---|
| Target:           | RELB  |
| Alternative Name: | RELB ( <a href="#">RELB Products</a> )  |
| Background:       | <p>Transcription factor RelB (I-Rel),FUNCTION: NF-kappa-B is a pleiotropic transcription factor which is present in almost all cell types and is involved in many biological processes such as inflammation, immunity, differentiation, cell growth, tumorigenesis and apoptosis. NF-kappa-B is a homo- or heterodimeric complex formed by the Rel-like domain-containing proteins RELA/p65, RELB, NFKB1/p105, NFKB1/p50, REL and NFKB2/p52. The dimers bind at kappa-B sites in the DNA of their target genes and the individual dimers have distinct preferences for different kappa-B sites that they can bind with distinguishable affinity and specificity. Different dimer combinations act as transcriptional activators or repressors, respectively. NF-kappa-B is controlled by various mechanisms of post-translational modification and subcellular compartmentalization as well as by interactions with other cofactors or corepressors. NF-kappa-B complexes are held in the cytoplasm in an inactive state complexed with members of the NF-kappa-B inhibitor (I-kappa-B) family. In a conventional activation pathway, I-kappa-B is phosphorylated by I-kappa-B kinases (IKKs) in response to different activators, subsequently degraded thus liberating the active NF-kappa-B complex which translocates to the nucleus. NF-kappa-B heterodimeric RelB-p50 and RelB-p52 complexes are transcriptional activators. RELB neither associates with DNA nor with RELA/p65 or REL. Stimulates promoter activity in the presence of NFKB2/p49. As a member of the NUPR1/RELB/IER3 survival pathway, may provide pancreatic ductal adenocarcinoma with remarkable resistance to cell stress, such as starvation or gemcitabine treatment. Regulates the circadian clock by repressing the transcriptional activator activity of the CLOCK-BMAL1 heterodimer in a CRY1/CRY2 independent manner. Increased repression of the heterodimer is seen in the presence of NFKB2/p52. Is required for both T and B lymphocyte maturation and function (PubMed:26385063).</p> <p>{ECO:0000269 PubMed:1732739, ECO:0000269 PubMed:22565310, ECO:0000269 PubMed:26385063, ECO:0000269 PubMed:7925301, ECO:0000269 PubMed:8441398}.</p> |
| Molecular Weight: | 62.1 kDa  |
| UniProt:          | <a href="#">Q01201</a>  |
| Pathways:         | <a href="#">NF-kappaB Signaling</a> , <a href="#">RTK Signaling</a>   |

## Application Details

|                    |   |
|--------------------|---|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies |
|--------------------|---|

## Application Details

---

as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

---

### Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

---

### Restrictions:

For Research Use only

## Handling

---

### Format:

Liquid

---

### Buffer:

The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

---

### Handling Advice:

Avoid repeated freeze-thaw cycles.

---

### Storage:

-80 °C

---

### Storage Comment:

Store at -80°C.

---

### Expiry Date:

Unlimited (if stored properly)