antibodies .- online.com





RFWD3 Protein (AA 1-774) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	RFWD3
Protein Characteristics:	AA 1-774
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RFWD3 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MAHEAMEYDV QVQLNHAEQQ PAPAGMASSQ GGPALLQPVP ADVVSSQGVP SILQPAPAEV ISSQATPPLL QPAPQLSVDL TEVEVLGEDT VENINPRTSE QHRQGSDGNH TIPASSLHSM TNFISGLQRL HGMLEFLRPS SSNHSVGPMR TRRRVSASRR ARAGGSQRTD SARLRAPLDA YFQVSRTQPD LPATTYDSET RNPVSEELQV SSSSDSDSDS SAEYGGVVDQ AEESGAVILE EQLAGVSAEQ EVTCIDGGKT LPKQPSPQKS EPLLPSASMD EEEGDTCTIC LEQWTNAGDH RLSALRCGHL FGYRCISTWL KGQVRKCPQC NKKARHSDIV VLYARTLRAL DTSEQERMKS SLLKEQMLRK QAELESAQCR LQLQVLTDKC TRLQRRVQDL QKLTSHQSQN LQQPRGSQAW VLSCSPSSQG QHKHKYHFQK TFTVSQAGNC RIMAYCDALS CLVISQPSPQ ASFLPGFGVK MLSTANMKSS QYIPMHGKQI RGLAFSSYLR GLLLSASLDN TIKLTSLETN TVVQTYNAGR PVWSCCWCLD EANYIYAGLA NGSILVYDVR NTSSHVQELV AQKARCPLVS LSYMPRAASA AFPYGGVLAG TLEDASFWEQ KMDFSHWPHV LPLEPGGCID FQTENSSRHC LVTYRPDKNH TTIRSVLMEM SYRLDDTGNP ICSCQPVHTF FGGPTCKLLT KNAIFQSPEN DGNILVCTGD

EAANSALLWD AASGSLLQDL QTDQPVLDIC PFEVNRNSYL ATLTEKMVHI YKWE

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human RFWD3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Product Details	
Grade:	Crystallography grade
Target Details	
Target:	RFWD3
Alternative Name:	RFWD3 (RFWD3 Products)
Background:	E3 ubiquitin-protein ligase that mediates the ubiquitination of p53/TP53 in the late response to DNA damage, and acts as a positive regulator of p53/TP53 stability, thereby regulating the G1/S DNA damage checkpoint. May act by catalyzing the formation of short polyubiquitin chains on p53/TP53 that are not targeted to the proteasome. In response to ionizing radiation, interacts with MDM2 and enhances p53/TP53 ubiquitination, possibly by restricting MDM2 from extending polyubiquitin chains on ubiquitinated p53/TP53. Plays a role in RPA-mediated DNA damage signaling and repair. {EC0:0000269 PubMed:20173098, EC0:0000269 PubMed:21504906, EC0:0000269 PubMed:21558276}.
Molecular Weight:	86.0 kDa Including tag.
UniProt:	Q6PCD5
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process