

Datasheet for ABIN3095001

RECQL5 Protein (AA 1-991) (Strep Tag)



Overview

Quantity:	250 μg
Target:	RECQL5
Protein Characteristics:	AA 1-991
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RECQL5 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MSSHHTTFPF DPERRVRSTL KKVFGFDSFK TPLQESATMA VVKGNKDVFV CMPTGAGKSL
	CYQLPALLAK GITIVVSPLI ALIQDQVDHL LTLKVRVSSL NSKLSAQERK ELLADLEREK
	PQTKILYITP EMAASSSFQP TLNSLVSRHL LSYLVVDEAH CVSQWGHDFR PDYLRLGALR
	SRLGHAPCVA LTATATPQVQ EDVFAALHLK KPVAIFKTPC FRANLFYDVQ FKELISDPYG
	NLKDFCLKAL GQEADKGLSG CGIVYCRTRE ACEQLAIELS CRGVNAKAYH AGLKASERTL
	VQNDWMEEKV PVIVATISFG MGVDKANVRF VAHWNIAKSM AGYYQESGRA GRDGKPSWCR
	LYYSRNDRDQ VSFLIRKEVA KLQEKRGNKA SDKATIMAFD ALVTFCEELG CRHAAIAKYF
	GDALPACAKG CDHCQNPTAV RRRLEALERS SSWSKTCIGP SQGNGFDPEL YEGGRKGYGD
	FSRYDEGSGG SGDEGRDEAH KREWNLFYQK QMQLRKGKDP KIEEFVPPDE NCPLKEASSR
	RIPRLTVKAR EHCLRLLEEA LSSNRQSTRT ADEADLRAKA VELEHETFRN AKVANLYKAS
	VLKKVADIHR ASKDGQPYDM GGSAKSCSAQ AEPPEPNEYD IPPASHVYSL KPKRVGAGFP

KGSCPFQTAT ELMETTRIRE QAPQPERGGE HEPPSRPCGL LDEDGSEPLP GPRGEVPGGS
AHYGGPSPEK KAKSSSGGSS LAKGRASKKQ QLLATAAHKD SQSIARFFCR RVESPALLAS
APEAEGACPS CEGVQGPPMA PEKYTGEEDG AGGHSPAPPQ TEECLRERPS TCPPRDQGTP
EVQPTPAKDT WKGKRPRSQQ ENPESQPQKR PRPSAKPSVV AEVKGSVSAS EQGTLNPTAQ
DPFQLSAPGV SLKEAANVVV KCLTPFYKEG KFASKELFKG FARHLSHLLT QKTSPGRSVK
EEAQNLIRHF FHGRARCESE ADWHGLCGPQ R

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.

Product Details	
	 We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.
Difi ti	
Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression
	System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	made-to-order
Target Details	
Target:	RECQL5
Alternative Name:	RECQL5 (RECQL5 Products)
Background:	ATP-dependent DNA helicase Q5 (EC 5.6.2.4) (DNA 3'-5' helicase RecQ5) (DNA helicase, RecQ-
	like type 5) (RecQ5) (RecQ protein-like 5),FUNCTION: DNA helicase that plays an important role
	in DNA replication, transcription and repair (PubMed:20643585, PubMed:22973052,
	PubMed:28100692). Probably unwinds DNA in a 3'-5' direction (PubMed:28100692) (Probable).
	Binds to the RNA polymerase II subunit POLR2A during transcription elongation and
	suppresses transcription-associated genomic instability (PubMed:20231364). Associates also
	with POLR1A and enforces the stability of ribosomal DNA arrays (PubMed:27502483). Plays ar
	important role in mitotic chromosome separation after cross-over events and cell cycle
	progress (PubMed:22013166). Mechanistically, removes RAD51 filaments protecting stalled
	replication forks at common fragile sites and stimulates MUS81-EME1 endonuclease leading to
	mitotic DNA synthesis (PubMed:28575661). Required for efficient DNA repair, including repair
	of inter-strand cross-links (PubMed:23715498). Stimulates DNA decatenation mediated by
	TOP2A. Prevents sister chromatid exchange and homologous recombination. A core helicase
	fragment (residues 11-609) binds preferentially to splayed duplex, looped and ssDNA
	(PubMed:28100692). {ECO:0000269 PubMed:20231364, ECO:0000269 PubMed:20348101,
	ECO:0000269 PubMed:20643585, ECO:0000269 PubMed:22013166,
	ECO:0000269 PubMed:22973052, ECO:0000269 PubMed:23715498,
	ECO:0000269 PubMed:23748380, ECO:0000269 PubMed:27502483,
	ECO:0000269 PubMed:28100692, ECO:0000269 PubMed:28575661,
	ECO:0000305 PubMed:28100692}.
Molecular Weight:	108.9 kDa
UniProt:	094762

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	