antibodies

Datasheet for ABIN3095096 HNRNPA2B1 Protein (AA 1-353) (Strep Tag)





Overview

Quantity:	1 mg
Target:	HNRNPA2B1
Protein Characteristics:	AA 1-353
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This HNRNPA2B1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence:	MEKTLETVPL ERKKREKEQF RKLFIGGLSF ETTEESLRNY YEQWGKLTDC VVMRDPASKR
	SRGFGFVTFS SMAEVDAAMA ARPHSIDGRV VEPKRAVARE ESGKPGAHVT VKKLFVGGIK
	EDTEEHHLRD YFEEYGKIDT IEIITDRQSG KKRGFGFVTF DDHDPVDKIV LQKYHTINGH
	NAEVRKALSR QEMQEVQSSR SGRGGNFGFG DSRGGGGNFG PGPGSNFRGG SDGYGSGRGF
	GDGYNGYGGG PGGGNFGGSP GYGGGRGGYG GGGPGYGNQG GGYGGGYDNY GGGNYGSGNY
	NDFGNYNQQP SNYGPMKSGN FGGSRNMGGP YGGGNYGPGG SGGSGGYGGR SRY
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:
	• Made in Germany - from design to production - by highly experienced protein experts.
	Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/5 | Product datasheet for ABIN3095096 | 04/16/2024 | Copyright antibodies-online. All rights reserved. correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):
	 In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/5 | Product datasheet for ABIN3095096 | 04/16/2024 | Copyright antibodies-online. All rights reserved.

Product Details

Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	HNRNPA2B1
Alternative Name:	HNRNPA2B1 (HNRNPA2B1 Products)
Background:	Heterogeneous nuclear ribonucleoproteins A2/B1 (hnRNP A2/B1),FUNCTION: Heterogeneous
	nuclear ribonucleoprotein (hnRNP) that associates with nascent pre-mRNAs, packaging them
	into hnRNP particles. The hnRNP particle arrangement on nascent hnRNA is non-random and
	sequence-dependent and serves to condense and stabilize the transcripts and minimize
	tangling and knotting. Packaging plays a role in various processes such as transcription, pre-
	mRNA processing, RNA nuclear export, subcellular location, mRNA translation and stability of
	mature mRNAs (PubMed:19099192). Forms hnRNP particles with at least 20 other different
	hnRNP and heterogeneous nuclear RNA in the nucleus. Involved in transport of specific mRNA
	to the cytoplasm in oligodendrocytes and neurons: acts by specifically recognizing and binding
	the A2RE (21 nucleotide hnRNP A2 response element) or the A2RE11 (derivative 11 nucleotide
	oligonucleotide) sequence motifs present on some mRNAs, and promotes their transport to th
	cytoplasm (PubMed:10567417). Specifically binds single-stranded telomeric DNA sequences,
	protecting telomeric DNA repeat against endonuclease digestion (By similarity). Also binds
	other RNA molecules, such as primary miRNA (pri-miRNAs): acts as a nuclear 'reader' of the
	N6-methyladenosine (m6A) mark by specifically recognizing and binding a subset of nuclear
	m6A-containing pri-miRNAs. Binding to m6A-containing pri-miRNAs promotes pri-miRNA
	processing by enhancing binding of DGCR8 to pri-miRNA transcripts (PubMed:26321680).
	Involved in miRNA sorting into exosomes following sumoylation, possibly by binding (m6A)-
	containing pre-miRNAs (PubMed:24356509). Acts as a regulator of efficiency of mRNA splicir
	possibly by binding to m6A-containing pre-mRNAs (PubMed:26321680). Plays a role in the
	splicing of pyruvate kinase PKM by binding repressively to sequences flanking PKM exon 9,
	inhibiting exon 9 inclusion and resulting in exon 10 inclusion and production of the PKM M2
	isoform (PubMed:20010808). Also plays a role in the activation of the innate immune respons
	(PubMed:31320558). Mechanistically, senses the presence of viral DNA in the nucleus,
	homodimerizes and is demethylated by JMJD6 (PubMed:31320558). In turn, translocates to
	the cytoplasm where it activates the TBK1-IRF3 pathway, leading to interferon alpha/beta
	production (PubMed:31320558). {ECO:0000250 UniProtKB:A7VJC2,
	EC0:0000269 PubMed:10567417, EC0:0000269 PubMed:20010808,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/5 | Product datasheet for ABIN3095096 | 04/16/2024 | Copyright antibodies-online. All rights reserved.

Restrictions:	For Research Use only
	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	protein production are removed, leaving only the protein production machinery and the
	modifications. During lysate production, the cell wall and other cellular components that are not required for
	even the most difficult-to-express proteins, including those that require post-translational
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
Comment:	$\operatorname{ALiCE}^{\otimes}$, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	guarantee though.
	as well. As the protein has not been tested for functional studies yet we cannot offer a
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
Application Details	
orm fot.	
UniProt:	P22626
Molecular Weight:	37.4 kDa
	promotes its transport. {ECO:0000269 PubMed:15294897, ECO:0000269 PubMed:17004321}.
	nucleotide hnRNP A2 response element) sequence motifs present on HIV-1 genomic RNA, and
	from the MTOC to the cytoplasm: acts by specifically recognizing and binding the A2RE (21
	ECO:0000303 PubMed:19099192}., FUNCTION: (Microbial infection) Involved in the transport of HIV-1 genomic RNA out of the nucleus, to the microtubule organizing center (MTOC), and then
	ECO:0000269 PubMed:24356509, ECO:0000269 PubMed:26321680,

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/5 | Product datasheet for ABIN3095096 | 04/16/2024 | Copyright antibodies-online. All rights reserved.

```
Handling
```

Expiry Date:

Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 5/5 | Product datasheet for ABIN3095096 | 04/16/2024 | Copyright antibodies-online. All rights reserved.