

Datasheet for ABIN3095156

RUFY3 Protein (AA 1-469) (Strep Tag)



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	1 mg
Target:	RUFY3
Protein Characteristics:	AA 1-469
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RUFY3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MSALTPPTDM PTPTTDKITQ AAMETIYLCK FRVSMDGEWL CLRELDDISL TPDPEPTHED
	PNYLMANERM NLMNMAKLSI KGLIESALNL GRTLDSDYAP LQQFFVVMEH CLKHGLKAKK
	TFLGQNKSFW GPLELVEKLV PEAAEITASV KDLPGLKTPV GRGRAWLRLA LMQKKLSEYM
	KALINKKELL SEFYEPNALM MEEEGAIIAG LLVGLNVIDA NFCMKGEDLD SQVGVIDFSM
	YLKDGNSSKG TEGDGQITAI LDQKNYVEEL NRHLNATVNN LQAKVDALEK SNTKLTEELA
	VANNRIITLQ EEMERVKEES SYILESNRKG PKQDRTAEGQ ALSEARKHLK EETQLRLDVE
	KELEMQISMR QEMELAMKML EKDVCEKQDA LVSLRQQLDD LRALKHELAF KLQSSDLGVK
	QKSELNSRLE EKTNQMAATI KQLEQSEKDL VKQAKTLNSA ANKLIPKHH
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).	
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).	
Grade:	custom-made	

Target Details

Target:	RUFY3	
Alternative Name:	RUFY3 (RUFY3 Products)	
Background:	Protein RUFY3 (RUN and FYVE domain-containing protein 3) (Rap2-interacting protein x) (RIPx)	
	(Single axon-regulated protein) (Singar), FUNCTION: Plays a role in the generation of neuronal	
	polarity formation and axon growth (By similarity). Implicated in the formation of a single axon	
	by developing neurons (By similarity). May inhibit the formation of additional axons by inhibition	
	of PI3K in minor neuronal processes (By similarity). Plays a role in the formation of F-actin-	
	enriched protrusive structures at the cell periphery (PubMed:25766321). Plays a role in	
	cytoskeletal organization by regulating the subcellular localization of FSCN1 and DBN1 at	
	axonal growth cones (By similarity). Promotes gastric cancer cell migration and invasion in a	
	PAK1-dependent manner (PubMed:25766321). {ECO:0000250 UniProtKB:Q5FVJ0,	
	ECO:0000250 UniProtKB:Q9D394, ECO:0000269 PubMed:25766321}.	
Molecular Weight:	53.0 kDa	
UniProt:	Q7L099	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	
Comment:	ALIOTO Alice at living O. II For a Formancian Octave in board on a board of the involve of forma	
	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce	
Restrictions:	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's	
Restrictions: Handling	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	

Handling

Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months