antibodies - online.com







Prosaposin Protein (PSAP) (AA 311-390) (His tag)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Overview	
Quantity:	1 mg
Target:	Prosaposin (PSAP)
Protein Characteristics:	AA 311-390
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Prosaposin protein is labelled with His tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS), Crystallization (Crys)
Product Details	
Sequence:	SDVYCEVCEF LVKEVTKLID NNKTEKEILD AFDKMCSKLP KSLSEECQEV VDTYGSSILS
	ILLEEVSPEL VCSMLHLCSG
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human PSAP Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein

cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Target:

Crystallography grade

Prosaposin (PSAP)

Target Details

- arget.	Trodupodii (i G, ii)	
Alternative Name:	PSAP (PSAP Products)	
Background:	Saposin-A and saposin-C stimulate the hydrolysis of glucosylceramide by beta-	
	glucosylceramidase (EC 3.2.1.45) and galactosylceramide by beta-galactosylceramidase (EC	
	3.2.1.46). Saposin-C apparently acts by combining with the enzyme and acidic lipid to form an	
	activated complex, rather than by solubilizing the substrate., Saposin-B stimulates the	
	hydrolysis of galacto-cerebroside sulfate by arylsulfatase A (EC 3.1.6.8), GM1 gangliosides by	

the sequential action of specific hydrolases.
proteins, they participate in the lysosomal degradation of sphingolipids, which takes place by
ECO:0000269 PubMed:10383054}., Saposins are specific low-molecular mass non-enzymic
internalization followed by ERK phosphorylation signaling. {ECO:0000250 UniProtKB:Q61207,
by its G-protein-coupled receptors, GPR37 and GPR37L1, undergoing ligand-mediated
Prosaposin: Behaves as a myelinotrophic and neurotrophic factor, these effects are mediated
hydrolases., Saposin-D is a specific sphingomyelin phosphodiesterase activator (EC 3.1.4.12).,
3.2.1.22). Saposin-B forms a solubilizing complex with the substrates of the sphingolipid
beta-galactosidase (EC 3.2.1.23) and globotriaosylceramide by alpha-galactosidase A (EC

Molecular Weight:	9.9 kDa Including tag.	
UniProt:	P07602	
Pathways:	Positive Regulation of Endopeptidase Activity	

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process