antibodies .- online.com





SCARB1 Protein (AA 33-443) (His tag)



Go to Product page

()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	1 mg	
Target:	SCARB1	
Protein Characteristics:	AA 33-443	
Origin:	Human	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This SCARB1 protein is labelled with His tag.	
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)	

Product Details

Sequence:

PSLIKQQVLK NVRIDPSSLS FNMWKEIPIP FYLSVYFFDV MNPSEILKGE KPQVRERGPY VYREFRHKSN ITFNNNDTVS FLEYRTFQFQ PSKSHGSESD YIVMPNILVL GAAVMMENKP MTLKLIMTLA FTTLGERAFM NRTVGEIMWG YKDPLVNLIN KYFPGMFPFK DKFGLFAELN NSDSGLFTVF TGVQNISRIH LVDKWNGLSK VDFWHSDQCN MINGTSGQMW PPFMTPESSL EFYSPEACRS MKLMYKESGV FEGIPTYRFV APKTLFANGS IYPPNEGFCP CLESGIQNVS TCRFSAPLFL SHPHFLNADP VLAEAVTGLH PNQEAHSLFL DIHPVTGIPM NCSVKLQLSL YMKSVAGIGQ TGKIEPVVLP LLWFAESGAM EGETLHTFYT QLVLMPKVMH Y Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human SCARB1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.	
Sterility:	0.22 µm filtered	
Endotoxin Level:	Protein is endotoxin free.	
Grade:	Crystallography grade	

Target Details

Target:	SCARB1
Alternative Name:	SCARB1 (SCARB1 Products)

Target Details

ranger Betane		
Background:	Receptor for different ligands such as phospholipids, cholesterol ester, lipoproteins,	
	phosphatidylserine and apoptotic cells. Probable receptor for HDL, located in particular region	
	of the plasma membrane, called caveolae. Facilitates the flux of free and esterified cholesterol	
	between the cell surface and extracellular donors and acceptors, such as HDL and to a lesser	
	extent, apoB-containing lipoproteins and modified lipoproteins. Probably involved in the	
	phagocytosis of apoptotic cells, via its phosphatidylserine binding activity. Receptor for	
	hepatitis C virus glycoprotein E2. Binding between SCARB1 and E2 was found to be	
	independent of the genotype of the viral isolate. Plays an important role in the uptake of HDL	
	cholesteryl ester (By similarity). {ECO:0000250}., (Microbial infection) Acts as a receptor for	
	hepatitis C virus in hepatocytes. {ECO:0000269 PubMed:18000990}.	
Molecular Weight:	47.6 kDa Including tag.	
UniProt:	Q8WTV0	
Pathways:	Cellular Response to Molecule of Bacterial Origin, Hepatitis C, Lipid Metabolism, SARS-CoV-2	
	Protein Interactome	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

\vdash	land	linc
	iaria	11116

Expiry Date:

Unlimited (if stored properly)