

Datasheet for ABIN3095324

SLC27A1 Protein (AA 35-646) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	SLC27A1 (FATP1)
Protein Characteristics:	AA 35-646
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC27A1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence: YVSGGWRFL RIVCKTARRD LFGLSVLIRV RLELRRHQRA GHTIPRIFQA VVQRQPERLA
 LVDAGTGECW TFAQLDAYSN AVANLFRQLG FAPGDVVAIF LEGRPEFVGL WLGLAKAGME
 AALLNVNLR R EPLAFCLGTS GAKALIFGGE MVAAVA EVSG HLGKSLIKFC SGDLGPEGIL
 PDTHLLDPLL KEASTAPLAQ IPSKGMDDRL FYIYTS GTTG LPKAAIVVHS RYYRMAAFGH
 HAYRMQAADV LYDCLPLYHS AGNIIGVQC LIYGLTVVLR KKFSASRFWD DCIKYNCTVV
 QYIGEICRYL LKQPVREAER RHRVRLAVGN GLRPAIWEEF TERFGVRQIG EFGATECNC
 SIANMDGKVG SCGFNSRILP HVYPIRLVKV NEDTMELLRD AQGLCIPCQA GEPGLLVGQI
 NQQDPLRRFD GYVSESATSK KIAHSVFSKG DSAYLSGDVL VMDELGYMYF RDRSGDTFRW
 RGENVSTTEV EGVLSRLLGQ TDVAVYGVAV PGVEGKAGMA AVADPHSLLD PNAIYQELQK
 VLAPYARPIF LRLLPQVDTT GTFKIQKTRL QREGFDPRQT SDRLFFLDLK QGHYLPNEA
 VYTRICSGAF AL

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human SLC27A1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	SLC27A1 (FATP1)
Alternative Name:	SLC27A1 (FATP1 Products)
Background:	<p>Involved in translocation of long-chain fatty acids (LFCA) across the plasma membrane. The LFCA import appears to be hormone-regulated in a tissue-specific manner. In adipocytes, but not myocytes, insulin induces a rapid translocation of FATP1 from intracellular compartments to the plasma membrane, paralleled by increased LFCA uptake. May act directly as a bona fide transporter, or alternatively, in a cytoplasmic or membrane-associated multimeric protein complex to trap and draw fatty acids towards accumulation. Plays a pivotal role in regulating available LFCA substrates from exogenous sources in tissues undergoing high levels of beta-oxidation or triglyceride synthesis. May be involved in regulation of cholesterol metabolism. Has acyl-CoA ligase activity for long-chain and very-long-chain fatty acids (By similarity). {ECO:0000250, ECO:0000269 PubMed:12235169}.</p>
Molecular Weight:	68.7 kDa Including tag.
UniProt:	Q6PCB7
Pathways:	Inositol Metabolic Process , Regulation of Lipid Metabolism by PPARAlpha

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Handling

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process