antibodies .- online.com





SMARCC2 Protein (AA 1-1214) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	SMARCC2
Protein Characteristics:	AA 1-1214
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SMARCC2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MAVRKKDGGP NVKYYEAADT VTQFDNVRLW LGKNYKKYIQ AEPPTNKSLS SLVVQLLQFQ EEVFGKHVSN APLTKLPIKC FLDFKAGGSL CHILAAAYKF KSDQGWRRYD FQNPSRMDRN VEMFMTIEKS LVQNNCLSRP NIFLCPEIEP KLLGKLKDII KRHQGTVTED KNNASHVVYP VPGNLEEEEW VRPVMKRDKQ VLLHWGYYPD SYDTWIPASE IEASVEDAPT PEKPRKVHAK WILDTDTFNE WMNEEDYEVN DDKNPVSRRK KISAKTLTDE VNSPDSDRRD KKGGNYKKRK RSPSPSPTPE AKKKNAKKGP STPYTKSKRG HREEEQEDLT KDMDEPSPVP NVEEVTLPKT VNTKKDSESA PVKGGTMTDL DEQEDESMET TGKDEDENST GNKGEQTKNP DLHEDNVTEQ THHIIIPSYA AWFDYNSVHA IERRALPEFF NGKNKSKTPE IYLAYRNFMI DTYRLNPQEY LTSTACRRNL AGDVCAIMRV HAFLEQWGLI NYQVDAESRP TPMGPPPTSH FHVLADTPSG LVPLQPKTPQ QTSASQQMLN FPDKGKEKPT DMQNFGLRTD MYTKKNVPSK SKAAASATRE WTEQETLLLL EALEMYKDDW NKVSEHVGSR TQDECILHFL RLPIEDPYLE DSEASLGPLA YQPIPFSQSG NPVMSTVAFL ASVVDPRVAS AAAKSALEEF SKMKEEVPTA LVEAHVRKVE

EAAKVTGKAD PAFGLESSGI AGTTSDEPER IEESGNDEAR VEGQATDEKK EPKEPREGGG
AIEEEAKEKT SEAPKKDEEK GKEGDSEKES EKSDGDPIVD PEKEKEPKEG QEEVLKEVVE
SEGERKTKVE RDIGEGNLST AAAAALAAAA VKAKHLAAVE ERKIKSLVAL LVETQMKKLE
IKLRHFEELE TIMDREREAL EYQRQQLLAD RQAFHMEQLK YAEMRARQQH FQQMHQQQQQ
PPPALPPGSQ PIPPTGAAGP PAVHGLAVAP ASVVPAPAGS GAPPGSLGPS EQIGQAGSTA
GPQQQQPAGA PQPGAVPPGV PPPGPHGPSP FPNQQTPPSM MPGAVPGSGH PGVAGNAPLG
LPFGMPPPPP PPAPSIIPFG SLADSISINL PAPPNLHGHH HHLPFAPGTL PPPNLPVSMA
NPLHPNLPAT TTMPSSLPLG PGLGSAAAQS PAIVAAVQGN LLPSASPLPD PGTPLPPDPT
APSPGTVTPV PPPQ

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Human SMARCC2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate

Product Details fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. 0.22 µm filtered Sterility: Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details SMARCC2 Target: Alternative Name: SMARCC2 (SMARCC2 Products) Background: Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Can stimulate the ATPase activity of the catalytic subunit of these complexes. May be required for CoREST dependent repression of neuronal specific gene promoters in non-neuronal cells. Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a post-mitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to post-mitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-

Molecular Weight:	133.8 kDa Including tag.	
UniProt:	Q8TAQ2	

similarity). {ECO:0000250, ECO:0000269|PubMed:11018012}.

renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along

with CREST plays a role regulating the activity of genes essential for dendrite growth (By

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process