antibodies.com

Datasheet for ABIN3095512 MTR4 Protein (AA 2-1042) (His tag)

Image



Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | MTR4 (SKIV2L2) |
| Protein Characteristics: | AA 2-1042 |
| Origin: | Human |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This MTR4 protein is labelled with His tag. |
| Application: | Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

| Sequence: | ADAFGDELFS VFEGDSTTAA GTKKDKEKDK GKWKGPPGSA DKAGKRFDGK LQSESTNNGK |
|-----------|---|
| | NKRDVDFEGT DEPIFGKKPR IEESITEDLS LADLMPRVKV QSVETVEGCT HEVALPAEED |
| | YLPLKPRVGK AAKEYPFILD AFQREAIQCV DNNQSVLVSA HTSAGKTVCA EYAIALALRE |
| | KQRVIFTSPI KALSNQKYRE MYEEFQDVGL MTGDVTINPT ASCLVMTTEI LRSMLYRGSE |
| | VMREVAWVIF DEIHYMRDSE RGVVWEETII LLPDNVHYVF LSATIPNARQ FAEWICHLHK |
| | QPCHVIYTDY RPTPLQHYIF PAGGDGLHLV VDENGDFRED NFNTAMQVLR DAGDLAKGDQ |
| | KGRKGGTKGP SNVFKIVKMI MERNFQPVII FSFSKKDCEA YALQMTKLDF NTDEEKKMVE |
| | EVFSNAIDCL SDEDKKLPQV EHVLPLLKRG IGIHHGGLLP ILKETIEILF SEGLIKALFA |
| | TETFAMGINM PARTVLFTNA RKFDGKDFRW ISSGEYIQMS GRAGRRGMDD RGIVILMVDE |
| | KMSPTIGKQL LKGSADPLNS AFHLTYNMVL NLLRVEEINP EYMLEKSFYQ FQHYRAIPGV |
| | VEKVKNSEEQ YNKIVIPNEE SVVIYYKIRQ QLAKLGKEIE EYIHKPKYCL PFLQPGRLVK |
| | VKNEGDDFGW GVVVNFSKKS NVKPNSGELD PLYVVEVLLR CSKESLKNSA TEAAKPAKPD |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3095512 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

| | EKGEMQVVPV LVHLLSAISS VRLYIPKDLR PVDNRQSVLK SIQEVQKRFP DGIPLLDPID |
|------------------|--|
| | DMGIQDQGLK KVIQKVEAFE HRMYSHPLHN DPNLETVYTL CEKKAQIAID IKSAKRELKK |
| | ARTVLQMDEL KCRKRVLRRL GFATSSDVIE MKGRVACEIS SADELLLTEM MFNGLFNDLS |
| | AEQATALLSC FVFQENSSEM PKLTEQLAGP LRQMQECAKR IAKVSAEAKL EIDEETYLSS |
| | FKPHLMDVVY TWATGATFAH ICKMTDVFEG SIIRCMRRLE ELLRQMCQAA KAIGNTELEN |
| | KFAEGITKIK RDIVFAASLY L |
| | Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a |
| | special request, please contact us. |
| Characteristics: | Made in Germany - from design to production - by highly experienced protein experts. Human SKIV2L2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis). |
| | This protein is a made to order protein and will be made for the first time for your order. Our |
| | experts in the lab will ensure that you receive a correctly folded protein. |
| | The big advantage of ordering our made-to-order proteins in comparison to ordering custom |
| | made proteins from other companies is that there is no financial obligation in case the protein |
| | cannot be expressed or purified. |
| | In the unlikely event that the protein cannot be expressed or purified we do not charge anything |
| | (other companies might charge you for any performed steps in the expression process for |
| | custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression |
| | experiments or purification optimization). |
| | When you order this made-to-order protein you will only pay upon receival of the correctly |
| | folded protein. With no financial risk on your end you can rest assured that our experienced |
| | protein experts will do everything to make sure that you receive the protein you ordered. |
| | The concentration of our recombinant proteins is measured using the absorbance at 280nm. |
| | The protein's absorbance will be measured in several dilutions and is measured against its |
| | specific reference buffer. |
| | The concentration of the protein is calculated using its specific absorption coefficient. We use |
| | the Expasy's protparam tool to determine the absorption coefficient of each protein. |
| Purification: | Two step purification of proteins expressed in baculovirus infected SF9 insect cells: |
| | In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. |
| | Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3095512 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

| as well. As the protein has not been tested for functional studies yet we cannot offer a guration through. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid | Product Details | |
|--|---------------------|---|
| Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details Target: MTR4 (SKIV2L2) Atternative Name: SKIV2L2 (SKIV2L2 Products) Background: May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3-processing of the 7S pre-RNA to the mature 5.8S rRNA. (EEC0:000269IPubMed:17412707). Molecular Weight: 118.6 kDa Including tag. UniProt: P42285 Application Details In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Iiquid Euror 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacture | Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Grade: Crystallography grade Target Details Target: MTR4 (SKIV2L2) May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3 ⁻ processing of the 75 pre-RNA to the mature 5.85 rRNA. (ECO.0000269[PubMed:17412707). Molecular Weight: 118.6 kDa Including tag. UniProt: P42285 Application Details In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. CST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacture | Sterility: | 0.22 µm filtered |
| Target Details Target: MTR4 (\$KIV2L2) Alternative Name: \$KIV2L2 (\$KIV2L2 Products) Background: May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3-processing of the 7S pre-RNA to the mature 5.8S rRNA. (ECO:0000269IPubMed:17412707). Molecular Weight: 118.6 kDa including tag. UniProt: P42285 Application DetailS In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Iuquid Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Endotoxin Level: | Protein is endotoxin free. |
| Target: MTR4 (SKIV2L2) Alternative Name: SKIV2L2 (SKIV2L2 Products) Background: May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3'-processing of the 7S pre-RNA to the mature 5.8S rRNA. (ECO.0000269)PubMed:17412707). Molecular Weight: 118.6 kDa Including tag. UniProt: P42285 Application Details In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Grade: | Crystallography grade |
| Alternative Name: SKIV2L2 (SKIV2L2 Products) Background: May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3'-processing of the 7S pre-RNA to the mature 5.8S rRNA. (ECO 0000269IPubMed:17412707). Molecular Weight: 118.6 kDa Including tag. UniProt: P42285 Application Details P42285 Application Notes: In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Target Details | |
| Background: May be involved in pre-mRNA splicing. Associated with the RNA exosome complex and involved in the 3°-processing of the 7S pre-RNA to the mature 5.8S rRNA. (ECO.0000269)PubMed:17412707). Molecular Weight: 118.6 kDa Including tag. UniProt: P42285 Application Details In addition to the applications listed above we expect the protein to work for functional stude as well. As the protein has not been tested for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Target: | MTR4 (SKIV2L2) |
| involved in the 3 ⁻ processing of the 7S pre-RNA to the mature 5.8S rRNA. (EC0:0000269)PubMed:17412707). Molecular Weight: 118.6 kDa Including tag. UniProt: P42285 Application Details P42285 Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Alternative Name: | SKIV2L2 (SKIV2L2 Products) |
| UniProt: P42285 Application Details In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a guration where the protein has not been tested for functional studies yet we cannot offer a guration to use where the protein has not been tested for functional studies yet we cannot offer a guration where the protein has not been tested for functional studies yet we cannot offer a guration to use where the protein has not been tested for functional studies yet we cannot offer a guration of the insoluble our protein has not been tested for functional studies yet we cannot offer a guration insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Inquid Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Background: | involved in the 3'-processing of the 7S pre-RNA to the mature 5.8S rRNA. |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gura though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Molecular Weight: | 118.6 kDa Including tag. |
| Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurat though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | UniProt: | P42285 |
| as well. As the protein has not been tested for functional studies yet we cannot offer a gurationComment:In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Application Details | |
| insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingImage: Comparison of the test of test of the test of test of the test of t | Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. |
| Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Comment: | insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you |
| Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture | Restrictions: | For Research Use only |
| Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactur | Handling | |
| | Format: | Liquid |
| Handling Advice: Avoid repeated freeze-thaw cycles. | Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| | Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: -80 °C | Storage: | -80 °C |
| Storage Comment: Store at -80°C. | Storage Comment: | Store at -80°C. |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3095512 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

```
Handling
```

Expiry Date:

Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3095512 | 09/11/2023 | Copyright antibodies-online. All rights reserved.