

Datasheet for ABIN3095521

SLIT2 Protein (AA 31-1529) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	SLIT2
Protein Characteristics:	AA 31-1529
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLIT2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:	<p>QCSCSGSTVD CHGLALRSVP RNIPRNTERR DLNGNNITRI TKTDFAGLRH LRVLQLMENK</p> <p>ISTIERGAFQ DLKELERLRL NRNHLQLFPE LLFLGTAKLY RDLSENQIQ AIPRKAFRGA</p> <p>VDIKNLQLDY NQISCIEDGA FRALRDLEVL TLNNNNITRL SVASFNHMPK LRTFRLHSNN</p> <p>LYCDCHLAWL SDWLRQRPRV GLYTQCMGPS HLRGHNVAEV QKREFVCSGH QSFMAPSCSV</p> <p>LHCPAACTCS NNIVDCRGKG LTIPTNLPE TITEIRLEQN TIKVIPPGAF SPYKKLRRID</p> <p>LSNNQISELA PDAFQGLRSL NSLVLYGNKI TELPKSLFEG LFSLQLLLLN ANKINCLRVD</p> <p>AFQDLHNLNL LSLYDNKLQT IAKGTFSPLR AIQTMHLAQN PFICDCHLKW LADYLHTNPI</p> <p>ETSGARCTSP RRLANKRIGQ IKSCKFRCSA KEQYFIPGTE DYRSKLSGDC FADLACPEKC</p> <p>RCEGTTVDCS NQKLNIPEH IPQYTAELRL NNNEFTVLEA TGIFKKLPQL RKINFNNKI</p> <p>TDIEEGAFEG ASGVNEILLT SNRLENVQHK MFKGLES�KT LMLRSNRITC VGNDSTFIGLS</p> <p>SVRLLSLYDN QITTVAPGAF DTLHSLSTLN LLANPFNCNC YLAWLGEWLR KKRIVTGNPR</p> <p>CQKPYFLKEI PIQDVAIQDF TCDDGNDDNS CSPLSRCPTC CTCLDTVVRC SNKGLKVLPK</p>
-----------	--

GIPRDVTELY LDGNQFTLVP KELSNYKHLT LIDLSNNRIS TLSNQSFNSM TQLLTILISY
NRLRCIPPRT FDGLKSLRLL SLHGNDISVV PEGAFNDLSA LSHLAIGANP LYCDCNMQWL
SDWVKSEYKE PGIARCAGPG EMADKLLTT PSKKFTCQGP VDVNILAKCN PCLSNPCKND
GTCNSDPVDF YRCTCPYGFK GQDCDVPIHA CISNPCKHGG TCHLKEGEED GFWCICADGF
EGENCEVNVD DCEDNDCENN STCVDDGINNY TCLCPPEYTG ELCEEKLDFC AQDLNPCQHD
SKCILTPKGF KCDCTPGYVG EHCIDIDFDDC QDNKCKNGAH CTDAVNGYTC ICPEGYSGLF
CEFSPPMVLP RTSPCDNFDC QNGAQCVIRI NEPICQCLPG YQGEKCEKLV SVNFINKESY
LQIPSAKVRP QTNITLQIAT DEDSGILLYK GDKDHIAVEL YRGRVRASYD TGSHPASAIY
SVETINDGNF HIVELLALDQ SLSLSVDGGN PKIITNLSKQ STLNFDSPLY VGGMPGKSNV
ASLRQAPGQN GTSFHGCI RN LYINSELQDF QKVPMQTGIL PGCEPCHKKV CAHGTCQPSS
QAGFTCECQE GWMGPLCDQR TNDPCLGNKC VHGTCLPINA FSYSCCKLEG HGGVLCDEEE
DLFNPCQAIK CKHKGKRLSG LGQPYCECSS GYTGDSCDRE ISCRGERIRD YYQKQQGYAA
CQTTKKVSRL ECRGGCAGGQ CCGPLRSKRR KYSFECTDGS SFVDEVEKVV KCGCTRCVS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human SLIT2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use

Product Details

	the ExPASy's protParam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	SLIT2
Alternative Name:	SLIT2 (SLIT2 Products)
Background:	<p>Thought to act as molecular guidance cue in cellular migration, and function appears to be mediated by interaction with roundabout homolog receptors. During neural development involved in axonal navigation at the ventral midline of the neural tube and projection of axons to different regions. SLIT1 and SLIT2 seem to be essential for midline guidance in the forebrain by acting as repulsive signal preventing inappropriate midline crossing by axons projecting from the olfactory bulb. In spinal cord development may play a role in guiding commissural axons once they reached the floor plate by modulating the response to netrin. In vitro, silences the attractive effect of NTN1 but not its growth-stimulatory effect and silencing requires the formation of a ROBO1-DCC complex. May be implicated in spinal cord midline post-crossing axon repulsion. In vitro, only commissural axons that crossed the midline responded to SLIT2. In the developing visual system appears to function as repellent for retinal ganglion axons by providing a repulsion that directs these axons along their appropriate paths prior to, and after passage through, the optic chiasm. In vitro, collapses and repels retinal ganglion cell growth cones. Seems to play a role in branching and arborization of CNS sensory axons, and in neuronal cell migration. In vitro, Slit homolog 2 protein N-product, but not Slit homolog 2 protein C-product, repels olfactory bulb (OB) but not dorsal root ganglia (DRG) axons, induces OB growth cones collapse and induces branching of DRG axons. Seems to be involved in regulating</p>

Target Details

	leukocyte migration. {ECO:0000269 PubMed:10102268, ECO:0000269 PubMed:10864954, ECO:0000269 PubMed:10975526, ECO:0000269 PubMed:11239147, ECO:0000269 PubMed:11309622, ECO:0000269 PubMed:11404413}.
Molecular Weight:	167.7 kDa Including tag.
UniProt:	O94813
Pathways:	Regulation of Actin Filament Polymerization , Regulation of Cell Size , Smooth Muscle Cell Migration

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process