antibodies .- online.com





SKP2 Protein (AA 1-424) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	SKP2
Protein Characteristics:	AA 1-424
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SKP2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence:

MHRKHLQEIP DLSSNVATSF TWGWDSSKTS ELLSGMGVSA LEKEEPDSEN IPQELLSNLG
HPESPPRKRL KSKGSDKDFV IVRRPKLNRE NFPGVSWDSL PDELLLGIFS CLCLPELLKV
SGVCKRWYRL ASDESLWQTL DLTGKNLHPD VTGRLLSQGV IAFRCPRSFM DQPLAEHFSP
FRVQHMDLSN SVIEVSTLHG ILSQCSKLQN LSLEGLRLSD PIVNTLAKNS NLVRLNLSGC
SGFSEFALQT LLSSCSRLDE LNLSWCFDFT EKHVQVAVAH VSETITQLNL SGYRKNLQKS
DLSTLVRRCP NLVHLDLSDS VMLKNDCFQE FFQLNYLQHL SLSRCYDIIP ETLLELGEIP
TLKTLQVFGI VPDGTLQLLK EALPHLQINC SHFTTIARPT IGNKKNQEIW GIKCRLTLQK PSCL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Grade:	Crystallography grade	
Target Details		
Target:	SKP2	
Alternative Name:	SKP2 (SKP2 Products)	
Background:	S-phase kinase-associated protein 2 (Cyclin-A/CDK2-associated protein p45) (F-box protein	
	Skp2) (F-box/LRR-repeat protein 1) (p45skp2),FUNCTION: Substrate recognition component of	
	a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the	
	ubiquitination and subsequent proteasomal degradation of target proteins involved in cell cycle	
	progression, signal transduction and transcription (PubMed:11931757, PubMed:12435635,	
	PubMed:12769844, PubMed:12840033, PubMed:15342634, PubMed:15668399,	
	PubMed:15949444, PubMed:16103164, PubMed:16262255, PubMed:16581786,	
	PubMed:16951159, PubMed:17908926, PubMed:17962192, PubMed:22770219,	
	PubMed:32267835). Specifically recognizes phosphorylated CDKN1B/p27kip and is involved in	
	regulation of G1/S transition (By similarity). Degradation of CDKN1B/p27kip also requires CKS1	
	Recognizes target proteins ORC1, CDT1, RBL2, KMT2A/MLL1, CDK9, RAG2, FOXO1, UBP43,	
	YTHDF2, and probably MYC, TOB1 and TAL1 (PubMed:11931757, PubMed:12435635,	
	PubMed:12769844, PubMed:12840033, PubMed:15342634, PubMed:15668399,	
	PubMed:15949444, PubMed:16103164, PubMed:17962192, PubMed:16581786,	
	PubMed:16951159, PubMed:17908926, PubMed:32267835). Degradation of TAL1 also requires	
	STUB1 (PubMed:17962192). Recognizes CDKN1A in association with CCNE1 or CCNE2 and	
	CDK2 (PubMed:16262255). Promotes ubiquitination and destruction of CDH1 in a CK1-	
	dependent manner, thereby regulating cell migration (PubMed:22770219).	
	{ECO:0000250 UniProtKB:Q9Z0Z3, ECO:0000269 PubMed:11931757,	
	ECO:0000269 PubMed:12435635, ECO:0000269 PubMed:12769844,	
	ECO:0000269 PubMed:12840033, ECO:0000269 PubMed:15342634,	
	ECO:0000269 PubMed:15668399, ECO:0000269 PubMed:15949444,	
	ECO:0000269 PubMed:16103164, ECO:0000269 PubMed:16262255,	
	ECO:0000269 PubMed:16581786, ECO:0000269 PubMed:16951159,	
	ECO:0000269 PubMed:17908926, ECO:0000269 PubMed:17962192,	
	ECO:0000269 PubMed:22770219, ECO:0000269 PubMed:32267835}., FUNCTION: Through the	

ubiquitin-mediated proteasomal degradation of hepatitis C virus non-structural protein 5A, has

Target Details

an antiviral activity towards that virus. {ECO:0000269 PubMed:27194766}. 47.8 kDa
47.8 kDa
Q13309
Mitotic G1-G1/S Phases
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for
protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
For Research Use only
Liquid
The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.
Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process