antibodies .- online.com





STAT3 Protein (AA 2-770) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	STAT3
Protein Characteristics:	AA 2-770
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This STAT3 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

AQWNQLQQLD TRYLEQLHQL YSDSFPMELR QFLAPWIESQ DWAYAASKES HATLVFHNLL GEIDQQYSRF LQESNVLYQH NLRRIKQFLQ SRYLEKPMEI ARIVARCLWE ESRLLQTAAT AAQQGGQANH PTAAVVTEKQ QMLEQHLQDV RKRVQDLEQK MKVVENLQDD FDFNYKTLKS QGDMQDLNGN NQSVTRQKMQ QLEQMLTALD QMRRSIVSEL AGLLSAMEYV QKTLTDEELA DWKRRQQIAC IGGPPNICLD RLENWITSLA ESQLQTRQQI KKLEELQQKV SYKGDPIVQH RPMLEERIVE LFRNLMKSAF VVERQPCMPM HPDRPLVIKT GVQFTTKVRL LVKFPELNYQ LKIKVCIDKD SGDVAALRGS RKFNILGTNT KVMNMEESNN GSLSAEFKHL TLREQRCGNG GRANCDASLI VTEELHLITF ETEVYHQGLK IDLETHSLPV VVISNICQMP NAWASILWYN MLTNNPKNVN FFTKPPIGTW DQVAEVLSWQ FSSTTKRGLS IEQLTTLAEK LLGPGVNYSG CQITWAKFCK ENMAGKGFSF WVWLDNIIDL VKKYILALWN EGYIMGFISK ERERAILSTK PPGTFLLRFS ESSKEGGVTF TWVEKDISGK TQIQSVEPYT KQQLNNMSFA EIIMGYKIMD ATNILVSPLV YLYPDIPKEE AFGKYCRPES QEHPEADPGS AAPYLKTKFI CVTPTTCSNT

IDLPMSPRTL DSLMQFGNNG EGAEPSAGGQ FESLTFDMEL TSECATSPM

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human STAT3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Product Details	
Grade:	Crystallography grade
Target Details	
Target:	STAT3
Alternative Name:	STAT3 (STAT3 Products)
Background:	Signal transducer and transcription activator that mediates cellular responses to interleukins, KITLG/SCF, LEP and other growth factors. Once activated, recruits coactivators, such as NCOA1 or MED1, to the promoter region of the target gene (PubMed:17344214). May mediate cellular responses to activated FGFR1, FGFR2, FGFR3 and FGFR4. Binds to the interleukin-6 (IL-6)-responsive elements identified in the promoters of various acute-phase protein genes. Activated by IL31 through IL31RA. Involved in cell cycle regulation by inducing the expression of key genes for the progression from G1 to S phase, such as CCND1 (PubMed:17344214). Mediates the effects of LEP on melanocortin production, body energy homeostasis and lactation (By similarity). May play an apoptotic role by transctivating BIRC5 expression under LEP activation (PubMed:18242580). Cytoplasmic STAT3 represses macroautophagy by inhibiting EIF2AK2/PKR activity. {ECO:0000250 UniProtKB:P42227, ECO:0000269 PubMed:10688651, ECO:0000269 PubMed:12359225, ECO:0000269 PubMed:12873986, ECO:0000269 PubMed:15194700, ECO:0000269 PubMed:17344214, ECO:0000269 PubMed:18242580, ECO:0000269 PubMed:23084476}.
Molecular Weight:	88.9 kDa Including tag.
UniProt:	P40763
Pathways:	JAK-STAT Signaling, RTK Signaling, Interferon-gamma Pathway, Neurotrophin Signaling Pathway, Dopaminergic Neurogenesis, Response to Growth Hormone Stimulus, Carbohydrate Homeostasis, Stem Cell Maintenance, Hepatitis C, Protein targeting to Nucleus, Feeding Behaviour, CXCR4-mediated Signaling Events, Signaling of Hepatocyte Growth Factor Receptor
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to

Application Details

Images

or Research Use only quid
quid
quid
00 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
oid repeated freeze-thaw cycles.
0 °C
ore at -80°C.
nlimited (if stored properly)
0



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process