# antibodies .- online.com





Go to Product pag

## Datasheet for ABIN3095678

## SUMO1 Protein (AA 2-97) (His tag)

Overview	
Quantity:	1 mg
Target:	SUM01
Protein Characteristics:	AA 2-97
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SUMO1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)
Product Details	
Sequence:	SDQEAKPSTE DLGDKKEGEY IKLKVIGQDS SEIHFKVKMT THLKKLKESY CQRQGVPMNS
	LRFLFEGQRI ADNHTPKELG MEEEDVIEVY QEQTGG
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Human SUMO1 Protein (raised in E. Coli) purified by multi-step, protein-specific process to</li> </ul>
	<ul><li>ensure crystallization grade.</li><li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul>
	This protein is a made to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom

made proteins from other companies is that there is no financial obligation in case the protein

cannot be expressed or purified.

specific reference buffer.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

### **Target Details**

Target:	SUM01
Alternative Name:	SUM01 (SUM01 Products)
Background:	Ubiquitin-like protein that can be covalently attached to proteins as a monomer or a lysine-
	linked polymer. Covalent attachment via an isopeptide bond to its substrates requires prior
	activation by the E1 complex SAE1-SAE2 and linkage to the E2 enzyme UBE2I, and can be
	promoted by E3 ligases such as PIAS1-4, RANBP2 or CBX4. This post-translational modification
	on lysine residues of proteins plays a crucial role in a number of cellular processes such as

rarget Details	
	nuclear transport, DNA replication and repair, mitosis and signal transduction. Involved for
	instance in targeting RANGAP1 to the nuclear pore complex protein RANBP2. Covalently
	attached to the voltage-gated potassium channel KCNB1, this modulates the gating
	characteristics of KCNB1 (PubMed:19223394). Polymeric SUM01 chains are also susceptible
	to polyubiquitination which functions as a signal for proteasomal degradation of modified
	proteins. May also regulate a network of genes involved in palate development. Covalently
	attached to ZFHX3 (PubMed:24651376). {ECO:0000269 PubMed:18408734,
	ECO:0000269 PubMed:18538659, ECO:0000269 PubMed:19223394,
	ECO:0000269 PubMed:21965678, ECO:0000269 PubMed:24651376,
	ECO:0000269 PubMed:9019411, ECO:0000269 PubMed:9162015}.
Molecular Weight:	12.0 kDa Including tag.
UniProt:	P63165
Pathways:	M Phase, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus, Ubiquitin
	Proteasome Pathway
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

		1.	
$\vdash$	land	ling	
1 1	ıaııu	11111	٠

Expiry Date:

Unlimited (if stored properly)