

Datasheet for ABIN3095740 STAT2 Protein (AA 1-851) (Strep Tag)



Overview

Quantity:	250 μg
Target:	STAT2
Protein Characteristics:	AA 1-851
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This STAT2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA
Product Details	
Brand:	AliCE®
Sequence:	MAQWEMLQNL DSPFQDQLHQ LYSHSLLPVD IRQYLAVWIE DQNWQEAALG SDDSKATMLF
	FHFLDQLNYE CGRCSQDPES LLLQHNLRKF CRDIQPFSQD PTQLAEMIFN LLLEEKRILI
	QAQRAQLEQG EPVLETPVES QQHEIESRIL DLRAMMEKLV KSISQLKDQQ DVFCFRYKIQ
	AKGKTPSLDP HQTKEQKILQ ETLNELDKRR KEVLDASKAL LGRLTTLIEL LLPKLEEWKA
	QQQKACIRAP IDHGLEQLET WFTAGAKLLF HLRQLLKELK GLSCLVSYQD DPLTKGVDLR
	NAQVTELLQR LLHRAFVVET QPCMPQTPHR PLILKTGSKF TVRTRLLVRL QEGNESLTVE
	VSIDRNPPQL QGFRKFNILT SNQKTLTPEK GQSQGLIWDF GYLTLVEQRS GGSGKGSNKG
	PLGVTEELHI ISFTVKYTYQ GLKQELKTDT LPVVIISNMN QLSIAWASVL WFNLLSPNLQ
	NQQFFSNPPK APWSLLGPAL SWQFSSYVGR GLNSDQLSML RNKLFGQNCR TEDPLLSWAD
	FTKRESPPGK LPFWTWLDKI LELVHDHLKD LWNDGRIMGF VSRSQERRLL KKTMSGTFLL
	RFSESSEGGI TCSWVEHQDD DKVLIYSVQP YTKEVLQSLP LTEIIRHYQL LTEENIPENP

LRFLYPRIPR DEAFGCYYQE KVNLQERRKY LKHRLIVVSN RQVDELQQPL ELKPEPELES
LELELGLVPE PELSLDLEPL LKAGLDLGPE LESVLESTLE PVIEPTLCMV SQTVPEPDQG
PVSQPVPEPD LPCDLRHLNT EPMEIFRNCV KIEEIMPNGD PLLAGQNTVD EVYVSRPSHF
YTDGPLMPSD F

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®). Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Grade: custom-made **Target Details** Target: STAT2 Alternative Name: STAT2 (STAT2 Products) Background: Signal transducer and activator of transcription 2 (p113), FUNCTION: Signal transducer and activator of transcription that mediates signaling by type I interferons (IFN-alpha and IFN-beta). Following type I IFN binding to cell surface receptors, Jak kinases (TYK2 and JAK1) are activated, leading to tyrosine phosphorylation of STAT1 and STAT2. The phosphorylated STATs dimerize, associate with IRF9/ISGF3G to form a complex termed ISGF3 transcription factor, that enters the nucleus. ISGF3 binds to the IFN stimulated response element (ISRE) to activate the transcription of interferon stimulated genes, which drive the cell in an antiviral state (PubMed:9020188, PubMed:23391734). In addition, has also a negative feedback regulatory role in the type I interferon signaling by recruiting USP18 to the type I IFN receptor subunit IFNAR2 thereby mitigating the response to type I IFNs (PubMed:28165510). Acts as a regulator of mitochondrial fission by modulating the phosphorylation of DNM1L at 'Ser-616' and 'Ser-637' which activate and inactivate the GTPase activity of DNM1L respectively (PubMed:26122121, PubMed:23391734, PubMed:9020188). {ECO:0000269|PubMed:23391734, ECO:0000269|PubMed:26122121, ECO:0000269|PubMed:28165510, ECO:0000269|PubMed:31836668, ECO:0000269|PubMed:32092142, ECO:0000269|PubMed:9020188}. Molecular Weight: 97.9 kDa UniProt: P52630 Pathways: JAK-STAT Signaling, Hepatitis C, CXCR4-mediated Signaling Events

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

C	_	n	_	n	_	_	n	+	
١,	O	Ш	п	П	п	ч	П	П	

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months