

Datasheet for ABIN3095767 SYNPO2 Protein (AA 1-1093) (Strep Tag)



Overview

Quantity:	250 μg
Target:	SYNP02
Protein Characteristics:	AA 1-1093
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SYNPO2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details	
Brand:	AliCE®
Sequence:	MGTGDFICIS MTGGAPWGFR LQGGKEQKQP LQVAKIRNQS KASGSGLCEG DEVVSINGNP
	CADLTYPEVI KLMESITDSL QMLIKRPSSG ISEALISENE NKNLEHLTHG GYVESTTLQI
	RPATKTQCTE FFLAPVKTEV PLAENQRSGP DCAGSLKEET GPSYQRAPQM PDSQRGRVAE
	ELILREKVEA VQPGPVVELQ LSLSQERHKG ASGPLVALPG AEKSKSPDPD PNLSHDRIVH
	INSIPTNEKA DPFLRSSKII QISSGRELRV IQESEAGDAG LPRVEVILDC SDRQKTEGCR
	LQAGKECVDS PVEGGQSEAP PSLVSFAVSS EGTEQGEDPR SEKDHSRPHK HRARHARLRR
	SESLSEKQVK EAKSKCKSIA LLLTDAPNPN SKGVLMFKKR RRRARKYTLV SYGTGELERE
	ADEEEEGDKE DTCEVAFLGA SESEVDEELL SDVDDNTQVV NFDWDSGLVD IEKKLNRGDK
	MEMLPDTTGK GALMFAKRRE RMDQITAQKE EDKVGGTPSR EQDAAQTDGL RTTTSYQRKE
	EESVRTQSSV SKSYIEVSHG LGHVPQQNGF SGTSETANIQ RMVPMNRTAK PFPGSVNQPA
	TPFSPTRNMT SPIADFPAPP PYSAVTPPPD AFSRGVSSPI AGPAQPPPWP QPAPWSQPAF

YDSSERIASR DERISVPAKR TGILQEAKRR STTKPMFTFK EPKVSPNPEL LSLLQNSEGK
RGTGAGGDSG PEEDYLSLGA EACNFMQSSS AKQKTPPPVA PKPAVKSSSS QPVTPVSPVW
SPGVAPTQPP AFPTSNPSKG TVVSSIKIAQ PSYPPARPAS TLNVAGPFKG PQAAVASQNY
TPKPTVSTPT VNAVQPGAVG PSNELPGMSG RGAQLFAKRQ SRMEKYVVDS DTVQAHAARA
QSPTPSLPAS WKYSSNVRAP PPVAYNPIHS PSYPLAALKS QPSAAQPSKM GKKKGKKPLN
ALDVMKHQPY QLNASLFTFQ PPDAKDGLPQ KSSVKVNSAL AMKQALPPRP VNAASPTNVQ
ASSVYSVPAY TSPPSFFAEA SSPVSASPVP VGIPTSPKQE SASSSYFVAP RPKFSAKKSG
VTIOVWKPSV VEE

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- · The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target:

SYNP02

Alternative Name:

SYNP02 (SYNP02 Products)

Background:

Synaptopodin-2 (Genethonin-2) (Myopodin),FUNCTION: Has an actin-binding and actin-bundling activity. Can induce the formation of F-actin networks in an isoform-specific manner (PubMed:24005909, PubMed:23225103). At the sarcomeric Z lines is proposed to act as adapter protein that links nascent myofibers to the sarcolemma via ZYX and may play a role in early assembly and stabilization of the Z lines. Involved in autophagosome formation. May play a role in chaperone-assisted selective autophagy (CASA) involved in Z lines maintenance in striated muscle under mechanical tension, may link the client-processing CASA chaperone machinery to a membrane-tethering and fusion complex providing autophagosome membranes (By similarity). Involved in regulation of cell migration (PubMed:22915763, PubMed:25883213). May be a tumor suppressor (PubMed:16885336).

 $\{ ECO: 0000250 | UniProtKB: D4A702, ECO: 0000250 | UniProtKB: Q91YE8, and the protection of the prot$

ECO:0000269|PubMed:22915763, ECO:0000269|PubMed:23225103,

ECO:0000269|PubMed:24005909, ECO:0000269|PubMed:25883213,

ECO:0000305|PubMed:16885336, ECO:0000305|PubMed:20554076}., FUNCTION: [Isoform 1]: Involved in regulation of cell migration. Can induce formation of thick, irregular actin bundles in the cell body. {ECO:0000269|PubMed:22915763, ECO:0000269|PubMed:24005909}., FUNCTION: [Isoform 2]: Involved in regulation of cell migration. Can induce long, well-organized

actin bundles frequently orientated in parallel along the long axis of the cell showing characteristics of contractile ventral stress fibers. {ECO:0000269|PubMed:22915763, ECO:0000269|PubMed:24005909}., FUNCTION: [Isoform 3]: Involved in regulation of cell migration. Can induce an amorphous actin meshwork throughout the cell body containing a

mixture of long and short, randomly organized thick and thin actin bundles.

{ECO:0000269|PubMed:22915763, ECO:0000269|PubMed:24005909}., FUNCTION: [Isoform 4]: Can induce long, well-organized actin bundles frequently orientated in parallel along the long axis of the cell showing characteristics of contractile ventral stress fibers.

{ECO:0000269|PubMed:24005909}., FUNCTION: [Isoform 5]: Involved in regulation of cell migration in part dependent on the Rho-ROCK cascade, can promote formation of nascent focal adhesions, actin bundles at the leading cell edge and lamellipodia (PubMed:22915763, PubMed:25883213). Can induce formation of thick, irregular actin bundles in the cell body, the induced actin network is associated with enhanced cell migration in vitro.

{ECO:0000269|PubMed:25883213}.

Molecular Weight:

117.5 kDa

UniProt:

Q9UMS6

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format: Liquid

Buffer:

The buffer composition is at the discretion of the manufacturer.

Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months