

Datasheet for ABIN3095791

TAF4 Protein (AA 1-1085) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	TAF4
Protein Characteristics:	AA 1-1085
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TAF4 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Brand:	AliCE®
Sequence:	MAAGSDLLDE VFFNSEVDEK VVSDLVGSLE SQLAASAAHH HHLAPRTPEV RAAAAGALGN HVVSGSPAGA AGAGPAAPAE GAPGAAPEPP PAGRARPGGG GPQRPGPPSP RRPLVPAGPA PPAAKLRRPPP EGSAGSCAPV PAAAAVAAGP EPAPAGPAKP AGPAALAARA GPGPGPGPGP GPGPGPGKPA GPGAAQTLNG SAALLNSHHA AAPAVSLVNN GPAALLPLPK PAAPGTVIQT PPFVGAAAPP APAAPSPPA PAPAAPAAAP PPPPPAPATL ARPPGHPAGP PTAAPAVPPP AAQNGGSAG AAPAPAPAAG GPAGVSGQPG PGAAAAAPAP GVKAESPKRV VQAAPPAAQT LAASGPASTA ASMVIGPTMQ GALPSPAAMP PPAPGTPTGL PKGAAGAVTQ SLSRTPTATT SGIRATLTPT VLAPRLPQPP QNPTNIQNFQ LPPGMVLVRS ENGQLLMIPQ QALAQMQAQA HAQPQTTMAP RPATPTSAPP VQISTVQAPG TPIIARQVTP TTIKQVSQA QTTVQPSATL QRSPGVQPQL VLGGAAQTAS LGTATAVQTG TPQRTVPGAT TTSSAATETM ENVKKCKNFL STLIKCLASSG KQSTETAANV KELVQNLLDG KIAEDFTSR LYRELNSSPQ PYLVPFLKRS

LPALRQLTPD SAAFIQQSQQ QPPPPTSQAT TALTAVVLSS SVQRTAGKTA ATVTSALQPP
VLSLTQPTQV GVGKQGQPTP LVIQPPKPG ALIRPPQVTL TQTPMVALRQ PHNRIMLTTP
QQIQLNPLQP VPVVKPAVLP GTKALSAVSA QAAAAQKNKL KEPGGGSFRD DDDINDVASM
AGVNLSEESA RILATNSELV GTLTRSCKDE TFLQAPLQR RILEIGKKHG ITELHPDVVS
YVSHATQQL QNLVEKISSET AQQKNFSYKD DDREYEQASDV RAQLKFFEQL DQIEKQRKDE
QEREILMRAA KRSRQEDPE QLRLKQKAKE MQQELAQMR QRDANLTA AIGPRKKRKV
DCPGPGSGAE GSGPGSVVPG SSGVGTTPRQF TRQRITRVNL RDLIFCENE RETSHSLLLY KAFLK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.

Product Details

- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	TAF4
Alternative Name:	TAF4 (TAF4 Products)
Background:	<p>Transcription initiation factor TFIID subunit 4 (RNA polymerase II TBP-associated factor subunit C) (TBP-associated factor 4) (Transcription initiation factor TFIID 130 kDa subunit) (TAF(II)130) (TAFII-130) (TAFII130) (Transcription initiation factor TFIID 135 kDa subunit) (TAF(II)135) (TAFII-135) (TAFII135),FUNCTION: The TFIID basal transcription factor complex plays a major role in the initiation of RNA polymerase II (Pol II)-dependent transcription (PubMed:33795473). TFIID recognizes and binds promoters with or without a TATA box via its subunit TBP, a TATA-box-binding protein, and promotes assembly of the pre-initiation complex (PIC) (PubMed:33795473). The TFIID complex consists of TBP and TBP-associated factors (TAFs), including TAF1, TAF2, TAF3, TAF4, TAF5, TAF6, TAF7, TAF8, TAF9, TAF10, TAF11, TAF12 and TAF13 (PubMed:33795473, PubMed:10594036, PubMed:8942982). TAF4 may maintain an association between the TFIID and TFIIA complexes, while bound to the promoter, together with TBP, during PIC assembly (PubMed:33795473). Potentiates transcriptional activation by the AF-2S of the retinoic acid, vitamin D3 and thyroid hormone (PubMed:9192867). {ECO:0000269 PubMed:10594036, ECO:0000269 PubMed:33795473, ECO:0000269 PubMed:8942982, ECO:0000269 PubMed:9192867}.</p>
Molecular Weight:	110.1 kDa
UniProt:	O00268

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
--------------------	--

Application Details

guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:

Liquid

Buffer:

The buffer composition is at the discretion of the manufacturer.

Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice:

Avoid repeated freeze-thaw cycles.

Storage:

-80 °C

Storage Comment:

Store at -80°C.

Expiry Date:

12 months