antibodies .- online.com





TDRKH Protein (AA 1-561) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	TDRKH
Protein Characteristics:	AA 1-561
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TDRKH protein is labelled with Strep Tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS)

Product Details

Sequence:

MSTERTSWTS LSTIQKIALG LGIPASATVA YILYRRYRES REERLTFVGE DDIEIEMRVP
QEAVKLIIGR QGANIKQLRK QTGARIDVDT EDVGDERVLL ISGFPVQVCK AKAAIHQILT
ENTPVSEQLS VPQRSVGRII GRGGETIRSI CKASGAKITC DKESEGTLLL SRLIKISGTQ
KEVAAAKHLI LEKVSEDEEL RKRIAHSAET RVPRKQPISV RREDMTEPGG AGEPALWKNT
SSSMEPTAPL VTPPPKGGGD MAVVVSKEGS WEKPSDDSFQ KSEAQAIPEM PMFEIPSPDF
SFHADEYLEV YVSASEHPNH FWIQIVGSRS LQLDKLVNEM TQHYENSVPE DLTVHVGDIV
AAPLPTNGSW YRARVLGTLE NGNLDLYFVD FGDNGDCPLK DLRALRSDFL SLPFQAIECS
LARIAPSGDQ WEEEALDEFD RLTHCADWKP LVAKISSYVQ TGISTWPKIY LYDTSNGKKL
DIGLELVHKG YAIELPEDIE ENRAVPDMLK DMATETDASL STLLTETKKS SGEITHTLSC
LSLSEAASMS GDDNLEDDYL L

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.

	Protein containing fractions of the best purification are subjected to second purification ste through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade
Target Details	
Target:	TDRKH
Alternative Name:	TDRKH (TDRKH Products)
Background:	Tudor and KH domain-containing protein (Tudor domain-containing protein 2),FUNCTION:
	Participates in the primary piRNA biogenesis pathway and is required during spermatogenesis
	to repress transposable elements and prevent their mobilization, which is essential for the
	germline integrity. The piRNA metabolic process mediates the repression of transposable
	elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and
	govern the methylation and subsequent repression of transposons. Required for the final step
	of primary piRNA biogenesis by participating in the processing of 31-37 nt intermediates into
	mature piRNAs. May act in pi-bodies and piP-bodies by transferring piRNA precursors or
	intermediates to or between these granules. {ECO:0000250 UniProtKB:Q80VL1}.
Molecular Weight:	62.0 kDa
UniProt:	Q9Y2W6
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the

Application Details

mitochondria to drive the reaction. During our lysate completion steps, the additional	
components needed for protein production (amino acids, cofactors, etc.) are added to product	е
something that functions like a cell, but without the constraints of a living system - all that's	
needed is the DNA that codes for the desired protein!	

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process