antibodies .- online.com





TRIM25 Protein (AA 1-630) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	TRIM25
Protein Characteristics:	AA 1-630
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIM25 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MAELCPLAEE LSCSICLEPF KEPVTTPCGH NFCGSCLNET WAVQGSPYLC PQCRAVYQAR
PQLHKNTVLC NVVEQFLQAD LAREPPADVW TPPARASAPS PNAQVACDHC LKEAAVKTCL
VCMASFCQEH LQPHFDSPAF QDHPLQPPVR DLLRRKCSQH NRLREFFCPE HSECICHICL
VEHKTCSPAS LSQASADLEA TLRHKLTVMY SQINGASRAL DDVRNRQQDV RMTANRKVEQ
LQQEYTEMKA LLDASETTST RKIKEEEKRV NSKFDTIYQI LLKKKSEIQT LKEEIEQSLT
KRDEFEFLEK ASKLRGISTK PVYIPEVELN HKLIKGIHQS TIDLKNELKQ CIGRLQEPTP
SSGDPGEHDP ASTHKSTRPV KKVSKEEKKS KKPPPVPALP SKLPTFGAPE QLVDLKQAGL
EAAAKATSSH PNSTSLKAKV LETFLAKSRP ELLEYYIKVI LDYNTAHNKV ALSECYTVAS
VAEMPQNYRP HPQRFTYCSQ VLGLHCYKKG IHYWEVELQK NNFCGVGICY GSMNRQGPES
RLGRNSASWC VEWFNTKISA WHNNVEKTLP STKATRVGVL LNCDHGFVIF FAVADKVHLM
YKFRVDFTEA LYPAFWVFSA GATLSICSPK

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Product Details special request, please contact us. Characteristics: · Made in Germany - from design to production - by highly experienced protein experts. · Human TRIM25 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Purity:

0.22 µm filtered

Protein is endotoxin free.

Crystallography grade

Sterility:

Grade:

Endotoxin Level:

Target Details

Target:	TRIM25
Alternative Name:	TRIM25 (TRIM25 Products)
Background:	Functions as a ubiquitin E3 ligase and as an ISG15 E3 ligase. Involved in innate immune
	defense against viruses by mediating ubiquitination of DDX58. Mediates 'Lys-63'-linked
	polyubiquitination of the DDX58 N-terminal CARD-like region which is crucial for triggering the
	cytosolic signal transduction that leads to the production of interferons in response to viral
	infection. Promotes ISGylation of 14-3-3 sigma (SFN), an adapter protein implicated in the
	regulation of a large spectrum signaling pathway. Mediates estrogen action in various target
	organs. Mediates the ubiquitination and subsequent proteasomal degradation of ZFHX3
	(PubMed:22452784). {ECO:0000269 PubMed:16352599, ECO:0000269 PubMed:17069755,
	ECO:0000269 PubMed:17392790, ECO:0000269 PubMed:22452784}.
Molecular Weight:	71.9 kDa Including tag.
UniProt:	Q14258
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process