antibodies .- online.com





TRIM11 Protein (AA 1-468) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	TRIM11
Protein Characteristics:	AA 1-468
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIM11 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MAAPDLSTNL QEEATCAICL DYFTDPVMTD CGHNFCRECI RRCWGQPEGP YACPECRELS
PQRNLRPNRP LAKMAEMARR LHPPSPVPQG VCPAHREPLA AFCGDELRLL CAACERSGEH
WAHRVRPLQD AAEDLKAKLE KSLEHLRKQM QDALLFQAQA DETCVLWQKM VESQRQNVLG
EFERLRRLLA EEEQQLLQRL EEEELEVLPR LREGAAHLGQ QSAHLAELIA ELEGRCQLPA
LGLLQDIKDA LRRVQDVKLQ PPEVVPMELR TVCRVPGLVE TLRRFRGDVT LDPDTANPEL
ILSEDRRSVQ RGDLRQALPD SPERFDPGPC VLGQERFTSG RHYWEVEVGD RTSWALGVCR
ENVNRKEKGE LSAGNGFWIL VFLGSYYNSS ERALAPLRDP PRRVGIFLDY EAGHLSFYSA
TDGSLLFIFP EIPFSGTLRP LFSPLSSSPT PMTICRPKGG SGDTLAPQ

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target:	TRIM11
Alternative Name:	TRIM11 (TRIM11 Products)
Background:	E3 ubiquitin-protein ligase TRIM11 (EC 2.3.2.27) (Protein BIA1) (RING finger protein 92)
	(Tripartite motif-containing protein 11),FUNCTION: E3 ubiquitin-protein ligase that promotes th
	degradation of insoluble ubiquitinated proteins, including insoluble PAX6, poly-Gln repeat
	expanded HTT and poly-Ala repeat expanded ARX (By similarity). Mediates PAX6 ubiquitination
	leading to proteasomal degradation, thereby modulating cortical neurogenesis (By similarity).
	May also inhibit PAX6 transcriptional activity, possibly in part by preventing the binding of PAX6
	to its consensus sequences (By similarity). May contribute to the regulation of the intracellular
	level of HN (humanin) or HN-containing proteins through the proteasomal degradation pathwa
	(By similarity). Mediates MED15 ubiquitination leading to proteasomal degradation
	(PubMed:16904669). May contribute to the innate restriction of retroviruses
	(PubMed:18248090). Upon overexpression, reduces HIV-1 and murine leukemia virus infectivity
	by suppressing viral gene expression (PubMed:18248090). Antiviral activity depends on a
	functional E3 ubiquitin-protein ligase domain (PubMed:18248090). May regulate TRIM5
	turnover via the proteasome pathway, thus counteracting the TRIM5-mediated cross-species
	restriction of retroviral infection at early stages of the retroviral life cycle (PubMed:18248090).
	Acts as an inhibitor of the AIM2 inflammasome by promoting autophagy-dependent
	degradation of AIM2 (PubMed:27498865). Mechanistically, undergoes autoubiquitination upon
	DNA stimulation, promoting interaction with AIM2 and SQSTM1/p62, leading to AIM2
	recruitment to autophagosomes (PubMed:27498865). {ECO:0000250 UniProtKB:Q99PQ2,
	ECO:0000269 PubMed:16904669, ECO:0000269 PubMed:18248090,
	ECO:0000269 PubMed:27498865}.
Molecular Weight:	52.8 kDa
UniProt:	Q96F44

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

Application Details

	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request,
	please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process