

Datasheet for ABIN3096024 TRIP4 Protein (AA 2-581) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	TRIP4
Protein Characteristics:	AA 2-581
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIP4 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence: AVAGAVSGEP LVHWCTQQLR KTFGLDVSEE IIQYVLSIES AEEIREYVTD LLQGNEGKKG
 QFIEELITKW QKNDQELISD PLQQCFKKDE ILDGQKSGDH LKRGRKKGRN RQEVPAFTEP
 DTTAEVKTPF DLAKAQENSN SVKKKTKFVN LYTREGQDRL AVLLPGRHPC DCLGQKHKLI
 NNCLICGRIV CEQEGSGPCL FCGTLVCTHE EQDILQRDSN KSQKLLKKLM SGVENSGKVD
 ISTKDLLPHQ ELRIKSGLEK AIKHKDKLLE FDRTSIRRTQ VIDDESDFYA SDSNQWLSKL
 ERETLQKREE ELRELRHASR LSKKVITDFA GRKILEEENS LAEYHSRLDE TIQAIANGTL
 NQPLTKLDRS SEEPLGVLVN PNMYQSPQW VDHTGAASQK KAFRSSGFGL EFNSFQHQLR
 IQDQEFQEGF DGGWCLSVHQ PWASLLVRGI KRVEGRSWYT PHRGRLWIAA TAKKPSPQEV
 SELQATYRLL RGKDVEFPND YPSGCLLGCV DLIDCLSQKQ FKEQFPDISQ ESDSPFVFIC
 KNPQEMVVKF PIKGNPKIWK LDSKIHQGA KGLMKQNKAV

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Product Details

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
 - Human TRIP4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
 - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

- Purification:
- Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

Target:	TRIP4
Alternative Name:	TRIP4 (TRIP4 Products)
Background:	<p>Transcription coactivator which associates with nuclear receptors, transcriptional coactivators including EP300, CREBBP and NCOA1, and basal transcription factors like TBP and TFIIA to facilitate nuclear receptors-mediated transcription. May thereby play an important role in establishing distinct coactivator complexes under different cellular conditions. Plays a role in thyroid hormone receptor and estrogen receptor transactivation (PubMed:10454579, PubMed:25219498). Also involved in androgen receptor transactivation (By similarity). Plays a pivotal role in the transactivation of NF-kappa-B, SRF and AP1. Acts as a mediator of transrepression between nuclear receptor and either AP1 or NF-kappa-B (PubMed:12077347). {ECO:0000250 UniProtKB:Q9QXN3, ECO:0000269 PubMed:10454579, ECO:0000269 PubMed:12077347, ECO:0000269 PubMed:25219498}.</p>
Molecular Weight:	67.0 kDa Including tag.
UniProt:	Q15650

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Handling

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process