



[Go to Product page](#)

Datasheet for ABIN3096086  
**TTF2 Protein (AA 1-1162) (Strep Tag)**

### Overview

Quantity:	1 mg
Target:	TTF2
Protein Characteristics:	AA 1-1162
Origin:	Human
Source:	Tobacco ( <i>Nicotiana tabacum</i> )
Protein Type:	Recombinant
Purification tag / Conjugate:	This TTF2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Sequence: MEEVRCPEHG TFCFLKTGVR DGPNGKGSFY VCRADTCSFV RATDIPVSHC LLHEDFVVEL  
QGLLLPQDKK EYRLFFRCIR SKAEGKRWCG SIPWQDPDSK EHSVSNKSQH ASETFHHSSN  
WLRNPFVKVLD KNQEPALWKQ LIKGEGEEKK ADKKQREKGD QLFDQKKEQK PEMMEKDLSS  
GLVPPKKQSV VQEKKQEEGA EIQCEAETGG THKRDFSEIK SQQCQGNELT RPSASSQEKS  
SGKSQDVQRE SEPLREKVTQ LLPQNVHSHN SISKPQKGGP LNKEYTNWEA KETKAKDGPS  
IQATQKSLPQ GHFQERPETH SVPAPGGPAA QAAPAAPGLS LGEGREAATS SDDEEEDDVV  
FVSSKPGSPL LFDSTLDLET KENLQFPDRS VQRKVSPASG VSKKVEPSDP VARRVYLTTQ  
LKQKKSTLAS VNIQALPDKG QKLIKIQIQL EEVLSGLTLS PEQGTNEKSN SQVPQQSHFT  
KTTTGPPHLV PPQPLPRRGT QPVGSLLEKLS ACQVTAGGSS QCYRGHTNQD HVHAVWKITS  
EAIGQLHRSL ESCPGETVVA EDPAGLKVPL LLHQKQALAW LLWRESQKPQ GGILADDMGL  
GKTLTMIALI LTQKNQEKE EKEKSTALTW LSKDDSCDFT SHGTLIICPA SLIHHWKNEV  
EKRVNSNKLK RYLYHGPNRD SRARVLSTYD IVITTYSLVA KEIPTNKQEA EIPGANLNVE

GTSTPLLRIA WARIILDEAH NVKNPRVQTS IAVCKLQACA RWAVTGTPIQ NNLLDMYSL  
KFLRCSPFDE FNLWRSQVDN GSKKGGGERLS ILTKSLLRR TKDQLDSTGR PLVILPQRKF  
QLHHLKLSLSED EETVYNVFFA RRSALQSYL KRHESRGNQS GRSPNPFPSR VALEFGSEEP  
RHSEAADSPR SSTVHILSQL LRLRQCCCHL SLLKSALDPM ELKGEGLVLS LEEQLSALTL  
SELRDSEPSS TVSLNGTFFK MELFEGMRES TKISSLLAEL EAIQRNSASQ KSVIVSQWTN  
MLKVVALHLK KHGLTYATID GSVNPKQRMD LVEAFNHSRG PQVMLISLLA GGVGLNLTGG  
NHLFLDMHW NPSLEDQACD RIYRVGQQKD VVIHRFVCEG TVEEKILQLQ EKKKDLAKQV  
LSGSGESVTK LTLADLRVLF GI

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

## Product Details

---

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

### Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

### Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

## Target Details

---

### Target:

TTF2

---

### Alternative Name:

TTF2 ([TTF2 Products](#))

---

### Background:

Transcription termination factor 2 (EC 3.6.4.-) (Lodestar homolog) (RNA polymerase II termination factor) (Transcription release factor 2) (F2) (HuF2),FUNCTION: DsDNA-dependent ATPase which acts as a transcription termination factor by coupling ATP hydrolysis with removal of RNA polymerase II from the DNA template. May contribute to mitotic transcription repression. May also be involved in pre-mRNA splicing. {ECO:0000269|PubMed:10455150, ECO:0000269|PubMed:12927788, ECO:0000269|PubMed:15125840, ECO:0000269|PubMed:9748214}.

---

### Molecular Weight:

129.6 kDa

---

### UniProt:

[Q9UNY4](#)

---

### Pathways:

[Thyroid Hormone Synthesis](#)

## Application Details

---

### Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

## Application Details

---

guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)