Datasheet for ABIN3096106

USP17L2 Protein (AA 1-530) (His tag)

1 Image

Go to Product page

Overview

Quantity:	1 mg
Target:	USP17L2
Protein Characteristics:	AA 1-530
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This USP17L2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:	MEDDSLYLGG EWQFNHFSKL TSSRPDAAFA EIQRTSLPEK SPLSSEARVD LCDDLAPVAR QLAPRKKLPL SSRRPAAVGA GLQNMGNTCY ENASLQCLTY TPPLANYMLS REHSQTCQRP KCCMLCTMQA HITWALHSPG HVIQPSQALA AGFHRGKQED AHEFLMFTVD AMKKACLPGH KQVDHHSKDT TLIHQIFGGC WRSQIKCLHC HGISDTFDPY LDIALDIQAA QSVKQALEQL VKPEELNGEN AYHCGLCLQR APASKTLTLH TSAKVLILVL KRFSDVTGNK LAKNVQYPEC LDMQPYMSQQ NTGPLVYVLY AVLVHAGWSC HDGHYFSYVK AQEGQWYKMD DAKVTACSIT SVLSQQAYVL FYIQKSEWER HSESVSRGRE PRALGAEDTD RRATQGELKR DHPCLQAPEL DERLVERATQ ESTLDHWKFP QEQNKTKPEF NVRKVEGTLP PNVLVIHQSK YKCGMKNHHP EQQSSLLNLS STTRTDQESV NTGTLASLQG RTRRSKGKNK HSKRALLVCQ **Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

Product Details

Characteristics:	• Made in Germany - from design to production - by highly experienced protein experts. • Human USP17L2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	USP17L2
Alternative Name:	USP17L2 (USP17L2 Products)
Background:	Deubiquitinating enzyme that removes conjugated ubiquitin from specific proteins to regulate different cellular processes. Regulates cell proliferation by deubiquitinating and inhibiting RCE1 thereby controlling the small GTPases NRAS and HRAS localization and activation. In parallel, mediates deubiquitination of CDC25A, preventing CDC25A degradation by the proteasome during the G1/S and G2/M phases promoting cell-cycle progression. Also regulates cell proliferation and apoptosis through deubiquitination of SUDS3 a regulator of histone deacetylation. Through activation of the Rho family GTPases RAC1A, CDC42 and RHOA, regulates cell migration. Through the cleavage of 'Lys-48'- and 'Lys-63'-linked polyubiquitin chains of the cytoplasmic innate immune receptors DDX58 and IFIH1 stimulates the cellular response to viral infection. {ECO:0000269|PubMed:14699124, ECO:0000269|PubMed:17109758, ECO:0000269|PubMed:19188362, ECO:0000269|PubMed:20147298, ECO:0000269|PubMed:20228808, ECO:0000269|PubMed:20368735, ECO:0000269|PubMed:20388806, ECO:0000269|PubMed:21239494, ECO:0000269|PubMed:21448158}.
Molecular Weight:	60.6 kDa Including tag.
UniProt:	Q6R6M4

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process