
antibodies .- online.com





U2AF2 Protein (AA 2-475) (His tag)



Go to Product page

Overview

Quantity:	1 mg
Target:	U2AF2 (U2AF59)
Protein Characteristics:	AA 2-475
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This U2AF2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

SDFDEFERQL NENKQERDKE NRHRKRSHSR SRSRDRKRRS RSRDRRNRDQ RSASRDRRRR SKPLTRGAKE EHGGLIRSPR HEKKKKVRKY WDVPPPGFEH ITPMQYKAMQ AAGQIPATAL LPTMTPDGLA VTPTPVPVVG SQMTRQARRL YVGNIPFGIT EEAMMDFFNA QMRLGGLTQA PGNPVLAVQI NQDKNFAFLE FRSVDETTQA MAFDGIIFQG QSLKIRRPHD YQPLPGMSEN PSVYVPGVVS TVVPDSAHKL FIGGLPNYLN DDQVKELLTS FGPLKAFNLV KDSATGLSKG YAFCEYVDIN VTDQAIAGLN GMQLGDKKLL VQRASVGAKN ATLVSPPSTI NQTPVTLQVP GLMSSQVQMG GHPTEVLCLM NMVLPEELLD DEEYEEIVED VRDECSKYGL VKSIEIPRPV DGVEVPGCGK IFVEFTSVFD CQKAMQGLTG RKFANRVVVT KYCDPDSYHR RDFW Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human U2AF2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process

special request, please contact us.

to ensure crystallization grade.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target: U2AF2 (U2AF59)

Alternative Name: U2AF2 (U2AF59 Products)

Target Details

Background:	Necessary for the splicing of pre-mRNA. By recruiting PRPF19 and the PRP19C/Prp19
	complex/NTC/Nineteen complex to the RNA polymerase II C-terminal domain (CTD), and
	thereby pre-mRNA, may couple transcription to splicing (PubMed:21536736). Induces cardiac
	troponin-T (TNNT2) pre-mRNA exon inclusion in muscle. Regulates the TNNT2 exon 5 inclusion
	through competition with MBNL1. Binds preferentially to a single-stranded structure within the
	polypyrimidine tract of TNNT2 intron 4 during spliceosome assembly. Required for the export
	of mRNA out of the nucleus, even if the mRNA is encoded by an intron-less gene. Represses the
	splicing of MAPT/Tau exon 10. {ECO:0000269 PubMed:15009664,
	ECO:0000269 PubMed:19470458, ECO:0000269 PubMed:19574390,
	ECO:0000269 PubMed:21536736}.
Molecular Weight:	54.3 kDa Including tag.
UniProt:	P26368
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)