# antibodies .- online.com





## USP25 Protein (AA 1-1055) (His tag)



**Image** 



Go to Product page

#### Overview

Quantity:	1 mg
Target:	USP25
Protein Characteristics:	AA 1-1055
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This USP25 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

#### **Product Details**

Sequence:

MTVEQNVLQQ SAAQKHQQTF LNQLREITGI NDTQILQQAL KDSNGNLELA VAFLTAKNAK
TPQQEETTYY QTALPGNDRY ISVGSQADTN VIDLTGDDKD DLQRAIALSL AESNRAFRET
GITDEEQAIS RVLEASIAEN KACLKRTPTE VWRDSRNPYD RKRQDKAPVG LKNVGNTCWF
SAVIQSLFNL LEFRRLVLNY KPPSNAQDLP RNQKEHRNLP FMRELRYLFA LLVGTKRKYV
DPSRAVEILK DAFKSNDSQQ QDVSEFTHKL LDWLEDAFQM KAEEETDEEK PKNPMVELFY
GRFLAVGVLE GKKFENTEMF GQYPLQVNGF KDLHECLEAA MIEGEIESLH SENSGKSGQE
HWFTELPPVL TFELSRFEFN QALGRPEKIH NKLEFPQVLY LDRYMHRNRE ITRIKREEIK
RLKDYLTVLQ QRLERYLSYG SGPKRFPLVD VLQYALEFAS SKPVCTSPVD DIDASSPPSG
SIPSQTLPST TEQQGALSSE LPSTSPSSVA AISSRSVIHK PFTQSRIPPD LPMHPAPRHI
TEEELSVLES CLHRWRTEIE NDTRDLQESI SRIHRTIELM YSDKSMIQVP YRLHAVLVHE
GQANAGHYWA YIFDHRESRW MKYNDIAVTK SSWEELVRDS FGGYRNASAY CLMYINDKAQ
FLIQEEFNKE TGQPLVGIET LPPDLRDFVE EDNQRFEKEL EEWDAQLAQK ALQEKLLASQ

KLRESETSVT TAQAAGDPEY LEQPSRSDFS KHLKEETIQI ITKASHEHED KSPETVLQSA IKLEYARLVK LAQEDTPPET DYRLHHVVVY FIQNQAPKKI IEKTLLEQFG DRNLSFDERC HNIMKVAQAK LEMIKPEEVN LEEYEEWHQD YRKFRETTMY LIIGLENFQR ESYIDSLLFL ICAYQNNKEL LSKGLYRGHD EELISHYRRE CLLKLNEQAA ELFESGEDRE VNNGLIIMNE FIVPFLPLLL VDEMEEKDIL AVEDMRNRWC SYLGQEMEPH LQEKLTDFLP KLLDCSMEIK SFHEPPKLPS YSTHELCERF ARIMLSLSRT PADGR

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human USP25 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes both 'Lys-48'- and 'Lys-63'-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight:  123.2 kDa Including tag.  UniProt:  Q9UHP3  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Product Details	
Endotoxin Level: Protein is endotoxin free.  Grade: Crystallography grade  Target Details  Target: USP25  Alternative Name: USP25 (USP25 Products)  Background: Deubiquitinating enzyme that hydrolyzes ubiquitin moieties conjugated to substrates and the functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit functions. The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight: 123.2 kDa Including tag.  UniProt: O9UHP3  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Grade: Crystallography grade  Target Details  Target: USP25  Alternative Name: USP25 (USP25 Products)  Background: Deubiquitinating enzyme that hydrolyzes ubiquitin moieties conjugated to substrates and the functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes both "Lys-48"- and "Lys-63"-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight: 123.2 kDa Including tag.  UniProt: Q9UHP3  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Sterility:	0.22 μm filtered
Target: USP25  Alternative Name: USP25 (USP25 Products)  Background: Deubiquitinating enzyme that hydrolyzes ubiquitin moieties conjugated to substrates and the functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edition polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes bothe "Lys-48"- and "Lys-63"-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight: 123.2 kDa Including tag.  UniProt: Q9UHP3  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies were cannot offer a gurathough.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Endotoxin Level:	Protein is endotoxin free.
Target: USP25  Alternative Name: USP25 (USP25 Products)  Background: Deubiquitinating enzyme that hydrolyzes ubiquitin moieties conjugated to substrates and the functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edition polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes bothe 'Lys-48'- and 'Lys-63'-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight: 123.2 kDa Including tag.  UniProt: Q9UHP3  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Grade:	Crystallography grade
Alternative Name:  USP25 (USP25 Products)  Deubiquitinating enzyme that hydrolyzes ubiquitin moieties conjugated to substrates and the functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes both "Lys-48"- and "Lys-63"-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight:  123.2 kDa Including tag.  UniProt:  Q9UHP3  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Target Details	
Background:  Deubiquitinating enzyme that hydrolyzes ubiquitin moieties conjugated to substrates and the functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edite polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes both 'Lys-48'- and 'Lys-63'-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight:  123.2 kDa Including tag.  UniProt:  Q9UHP3  Application Details  In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Target:	USP25
functions to process newly synthesized Ubiquitin, to recycle ubiquitin molecules or to edit polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes both 'Lys-48'- and 'Lys-63'-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) in have a role in the regulation of muscular differentiation and function.  Molecular Weight:  123.2 kDa Including tag.  UniProt:  Q9UHP3  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Alternative Name:	USP25 (USP25 Products)
UniProt:  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Background:	polyubiquitin chains and prevents proteasomal degradation of substrates. Hydrolyzes both 'Lys-48'- and 'Lys-63'-linked tetraubiquitin chains., The muscle-specific isoform (USP25m) may
Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Molecular Weight:	123.2 kDa Including tag.
Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	UniProt:	Q9UHP3
as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
receive your protein of interest.	Comment:	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you
Restrictions: For Research Use only	Restrictions:	For Research Use only
Handling	Handling	
Format: Liquid	Format:	Liquid
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.


Avoid repeated freeze-thaw cycles.

Handling Advice:

## Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

### **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process