# antibodies .- online.com





# **USP21 Protein (AA 1-565) (Strep Tag)**



**Image** 



Go to Product page

### Overview

| Quantity:                     | 1 mg   |
|-------------------------------|--|
| Target:                       | USP21  |
| Protein Characteristics:      | AA 1-565                                       |
| Origin:                       | Human  |
| Source:                       | Tobacco (Nicotiana tabacum)                    |
| Protein Type:                 | Recombinant                                    |
| Purification tag / Conjugate: | This USP21 protein is labelled with Strep Tag. |
| Application:                  | ELISA, Western Blotting (WB), SDS-PAGE (SDS)   |

### **Product Details**

Sequence:

MPQASEHRLG RTREPPVNIQ PRVGSKLPFA PRARSKERRN PASGPNPMLR PLPPRPGLPD ERLKKLELGR GRTSGPRPRG PLRADHGVPL PGSPPPTVAL PLPSRTNLAR SKSVSSGDLR PMGIALGGHR GTGELGAALS RLALRPEPPT LRRSTSLRRL GGFPGPPTLF SIRTEPPASH GSFHMISARS SEPFYSDDKM AHHTLLLGSG HVGLRNLGNT CFLNAVLQCL SSTRPLRDFC LRRDFRQEVP GGGRAQELTE AFADVIGALW HPDSCEAVNP TRFRAVFQKY VPSFSGYSQQ DAQEFLKLLM ERLHLEINRR GRRAPPILAN GPVPSPPRRG GALLEEPELS DDDRANLMWK RYLEREDSKI VDLFVGQLKS CLKCQACGYR STTFEVFCDL SLPIPKKGFA GGKVSLRDCF NLFTKEEELE SENAPVCDRC RQKTRSTKKL TVQRFPRILV LHLNRFSASR GSIKKSSVGV DFPLQRLSLG DFASDKAGSP VYQLYALCNH SGSVHYGHYT ALCRCQTGWH VYNDSRVSPV SENQVASSEG YVLFYQLMQE PPRCL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

### have a special request, please contact us.

### Characteristics:

### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.

|                     | <ol><li>Protein containing fractions of the best purification are subjected to second purification step<br/>through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and<br/>Western blot.</li></ol>  |
|---------------------|---|
| Purity:             | >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.  |
| Endotoxin Level:    | Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)   |
| Grade:              | Crystallography grade   |
| Target Details      |   |
| Target:             | USP21   |
| Alternative Name:   | USP21 (USP21 Products)  |
| Background:         | Ubiquitin carboxyl-terminal hydrolase 21 (EC 3.4.19.12) (Deubiquitinating enzyme 21) (Ubiquitin thioesterase 21) (Ubiquitin-specific-processing protease 21),FUNCTION: Deubiquitinates histone H2A, a specific tag for epigenetic transcriptional repression, thereby acting as a coactivator (By similarity). Deubiquitination of histone H2A releaves the repression of di- and trimethylation of histone H3 at 'Lys-4', resulting in regulation of transcriptional initiation (By similarity). Regulates gene expression via histone H2A deubiquitination (By similarity). Deubiquitinates BAZ2A/TIP5 leading to its stabilization (PubMed:26100909). Also capable of removing NEDD8 from NEDD8 conjugates but has no effect on Sentrin-1 conjugates (PubMed:10799498). Also acts as a negative regulator of the ribosome quality control (RQC) by mediating deubiquitination of 40S ribosomal proteins RPS10/eS10 and RPS20/uS10, thereby antagonizing ZNF598-mediated 40S ubiquitination (PubMed:32011234). {ECO:0000250 UniProtKB:Q9QZL6, ECO:0000269 PubMed:32011234}. |
| Molecular Weight:   | 62.7 kDa  |
| UniProt:            | Q9UK80  |
| Application Details |   |
| Application Notes:  | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  |
| Comment:            | ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce   |
|                     |   |

even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!


Restrictions:

For Research Use only

## Handling

| Format:          | Liquid   |
|------------------|--|
| Buffer:          | The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us. |
| Handling Advice: | Avoid repeated freeze-thaw cycles.   |
| Storage:         | -80 °C   |
| Storage Comment: | Store at -80°C.  |
| Expiry Date:     | Unlimited (if stored properly)   |

### **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process