antibodies .- online.com





UIMC1 Protein (AA 1-719) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	UIMC1
Protein Characteristics:	AA 1-719
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This UIMC1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MPRRKKKVKE VSESRNLEKK DVETTSSVSV KRKRRLEDAF IVISDSDGEE PKEENGLQKT KTKQSNRAKC LAKRKIAQMT EEEQFALALK MSEQEAREVN SQEEEEEELL RKAIAESLNS CRPSDASATR SRPLATGPSS QSHQEKTTDS GLTEGIWQLV PPSLFKGSHI SQGNEAEERE EPWDHTEKTE EEPVSGSSGS WDQSSQPVFE NVNVKSFDRC TGHSAEHTQC GKPQESTGRG SAFLKAVQGS GDTSRHCLPT LADAKGLQDT GGTVNYFWGI PFCPDGVDPN QYTKVILCQL EVYQKSLKMA QRQLLNKKGF GEPVLPRPPS LIQNECGQGE QASEKNECIS EDMGDEDKEE RQESRASDWH SKTKDFQESS IKSLKEKLLL EEEPTTSHGQ SSQGIVEETS EEGNSVPASQ SVAALTSKRS LVLMPESSAE EITVCPETQL SSSETFDLER EVSPGSRDIL DGVRIIMADK EVGNKEDAEK EVAISTFSSS NQVSCPLCDQ CFPPTKIERH AMYCNGLMEE DTVLTRRQKE AKTKSDSGTA AQTSLDIDKN EKCYLCKSLV PFREYQCHVD SCLQLAKADQ GDGPEGSGRA CSTVEGKWQQ RLKNPKEKGH SEGRLLSFLE QSEHKTSDAD IKSSETGAFR VPSPGMEEAG CSREMQSSFT RRDLNESPVK SFVSISEATD CLVDFKKQVT VQPGSRTRTK AGRGRRRKF

Sterility:

Grade:

Endotoxin Level:

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us. Characteristics: Made in Germany - from design to production - by highly experienced protein experts. Human UIMC1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Purity:

0.22 µm filtered

Protein is endotoxin free.

Crystallography grade

Target Details

Target:	UIMC1
Alternative Name:	UIMC1 (UIMC1 Products)
Background:	Ubiquitin-binding protein (PubMed:24627472). Specifically recognizes and binds 'Lys-63'-linked
	ubiquitin (PubMed:19328070, Ref.35). Plays a central role in the BRCA1-A complex by
	specifically binding 'Lys-63'-linked ubiquitinated histones H2A and H2AX at DNA lesions sites,
	leading to target the BRCA1-BARD1 heterodimer to sites of DNA damage at double-strand
	breaks (DSBs). The BRCA1-A complex also possesses deubiquitinase activity that specifically
	removes 'Lys-63'-linked ubiquitin on histones H2A and H2AX. Also weakly binds monoubiquitin
	but with much less affinity than 'Lys-63'-linked ubiquitin. May interact with monoubiquitinated
	histones H2A and H2B, the relevance of such results is however unclear in vivo. Does not bind
	Lys-48'-linked ubiquitin. May indirectly act as a transcriptional repressor by inhibiting the
	interaction of NR6A1 with the corepressor NCOR1. {ECO:0000269 PubMed:12080054,
	ECO:0000269 PubMed:17525340, ECO:0000269 PubMed:17525341,
	ECO:0000269 PubMed:17525342, ECO:0000269 PubMed:17621610,
	ECO:0000269 PubMed:17643121, ECO:0000269 PubMed:19015238,
	ECO:0000269 PubMed:19202061, ECO:0000269 PubMed:19261748,
	ECO:0000269 PubMed:19328070, ECO:0000269 PubMed:24627472, ECO:0000269 Ref.35}.
Molecular Weight:	80.7 kDa Including tag.
UniProt:	Q96RL1
Pathways:	DNA Damage Repair, Nuclear Hormone Receptor Binding, Positive Regulation of Response to
	DNA Damage Stimulus
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process