

Datasheet for ABIN3096292

HISPPD1 Protein (AA 1-1243) (Strep Tag)



Go to Product page

Overview

Quantity:	250 μg
Target:	HISPPD1 (PPIP5K2)
Protein Characteristics:	AA 1-1243
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This HISPPD1 protein is labelled with Strep Tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA

Brand:	AliCE®
Sequence:	MSEAPRFFVG PEDTEINPGN YRHFFHHADE DDEEEDDSPP ERQIVVGICS MAKKSKSKPM
	KEILERISLF KYITVVVFEE EVILNEPVEN WPLCDCLISF HSKGFPLDKA VAYAKLRNPF
	VINDLNMQYL IQDRREVYSI LQAEGILLPR YAILNRDPNN PKECNLIEGE DHVEVNGEVF
	QKPFVEKPVS AEDHNVYIYY PTSAGGGSQR LFRKIGSRSS VYSPESNVRK TGSYIYEEFM
	PTDGTDVKVY TVGPDYAHAE ARKSPALDGK VERDSEGKEV RYPVILNARE KLIAWKVCLA
	FKQTVCGFDL LRANGQSYVC DVNGFSFVKN SMKYYDDCAK ILGNIVMREL APQFHIPWSI
	PLEAEDIPIV PTTSGTMMEL RCVIAVIRHG DRTPKQKMKM EVRHQKFFDL FEKCDGYKSG
	KLKLKKPKQL QEVLDIARQL LMELGQNNDS EIEENKPKLE QLKTVLEMYG HFSGINRKVQ
	LTYLPHGCPK TSSEEEDSRR EEPSLLLVLK WGGELTPAGR VQAEELGRAF RCMYPGGQGD
	YAGFPGCGLL RLHSTYRHDL KIYASDEGRV QMTAAAFAKG LLALEGELTP ILVQMVKSAN
	MNGLLDSDSD SLSSCQQRVK ARLHEILQKD RDFTAEDYEK LTPSGSISLI KSMHLIKNPV

KTCDKVYSLI QSLTSQIRHR MEDPKSSDIQ LYHSETLELM LRRWSKLEKD FKTKNGRYDI SKIPDIYDCI KYDVQHNGSL KLENTMELYR LSKALADIVI PQEYGITKAE KLEIAKGYCT PLVRKIRSDL QRTQDDDTVN KLHPVYSRGV LSPERHVRTR LYFTSESHVH SLLSILRYGA LCNESKDEQW KRAMDYLNVV NELNYMTQIV IMLYEDPNKD LSSEERFHVE LHFSPGAKGC EEDKNLPSGY GYRPASRENE GRRPFKIDND DEPHTSKRDE VDRAVILFKP MVSEPIHIHR KSPLPRSRKT ATNDEESPLS VSSPEGTGTW LHYTSGVGTG RRRRRSGEQI TSSPVSPKSL AFTSSIFGSW QQVVSENANY LRTPRTLVEQ KQNPTVGSHC AGLFSTSVLG GSSSAPNLQD YARTHRKKLT SSGCIDDATR GSAVKRFSIS FARHPTNGFE LYSMVPSICP LETLHNALSL KQVDEFLASI ASPSSDVPRK TAEISSTALR SSPIMRKKVS LNTYTPAKIL PTPPATLKST KASSKPATSG PSSAVVPNTS SRKKNITSKT ETHEHKKNTG KKK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	HISPPD1 (PPIP5K2)
Alternative Name:	PPIP5K2 (PPIP5K2 Products)
Background:	Inositol hexakisphosphate and diphosphoinositol-pentakisphosphate kinase 2 (EC 2.7.4.24)
	(Diphosphoinositol pentakisphosphate kinase 2) (Histidine acid phosphatase domain-
	containing protein 1) (InsP6 and PP-IP5 kinase 2) (VIP1 homolog 2) (hsVIP2),FUNCTION:
	Bifunctional inositol kinase that acts in concert with the IP6K kinases IP6K1, IP6K2 and IP6K3
	to synthesize the diphosphate group-containing inositol pyrophosphates diphosphoinositol
	pentakisphosphate, PP-InsP5, and bis-diphosphoinositol tetrakisphosphate, (PP)2-InsP4
	(PubMed:17690096, PubMed:17702752, PubMed:21222653, PubMed:29590114). PP-InsP5 an
	(PP)2-InsP4, also respectively called InsP7 and InsP8, regulate a variety of cellular processes,
	including apoptosis, vesicle trafficking, cytoskeletal dynamics, exocytosis, insulin signaling and
	neutrophil activation (PubMed:17690096, PubMed:17702752, PubMed:21222653,
	PubMed:29590114). Phosphorylates inositol hexakisphosphate (InsP6) at position 1 to produc
	PP-InsP5 which is in turn phosphorylated by IP6Ks to produce (PP)2-InsP4 (PubMed:17690096
	PubMed:17702752). Alternatively, phosphorylates PP-InsP5 at position 1, produced by IP6Ks
	from InsP6, to produce (PP)2-InsP4 (PubMed:17690096, PubMed:17702752). Required for
	normal hearing (PubMed:29590114). {ECO:0000269 PubMed:17690096,
	ECO:0000269 PubMed:17702752, ECO:0000269 PubMed:21222653,
	ECO:0000269 PubMed:29590114}.
Molecular Weight:	140.4 kDa
UniProt:	043314

Target Details

Pathways:	Inositol Metabolic Process
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months