

# Datasheet for ABIN3096474 ZBTB17 Protein (AA 1-803) (His tag)



[Go to Product page](#)

## 1 Image

### Overview

Quantity:	1 mg
Target:	ZBTB17
Protein Characteristics:	AA 1-803
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ZBTB17 protein is labelled with His tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)

### Product Details

Sequence:	<p>MDFPQHSQHV LEQLNQQRQL GLLCDCTFVV DGVHFKAHKA VLAACSEYFK MLFVDQKDVV</p> <p>HLDISNAAGL GQVLEFMYTA KLSLSPENV DVLAVATFLQ MQDIITACHA LKSLAEPATS</p> <p>PGGNAEALAT EGGDKRAKEE KVATSTLSRL EQAGRSTPIG PSRDLKEERG GQAQSAASGA</p> <p>EQTEKADAPR EPPPVELKPD PTSGMAAAEA EAALSESSEQ EMEVEPARKG EEEQKEQEEQ</p> <p>EEEGAGPAEV KEEGSQLENG EAPEENENEE SAGTDSGQEL GSEARGLRSG TYGDRTESKA</p> <p>YGSVIHKCED CGKEFTHTGN FKRHIRIHTG EKPFSCRECS KAFSDPAACK AHEKTHSPLK</p> <p>PYGCEECGKS YRLISLLNLH KKRHSGEARY RCEDCGKLFT TSGNLKRHL VHSGEKPYQC</p> <p>DYCGRSFSDP TSKMRHLETH DTDKEHKCPH CDKKFNQVGN LKAHLKIHA DGPLKCRECG</p> <p>KQFTTSGNLK RHLRIHSGEK PYVCIHCQRQ FADPGALQRH VRIHTGEKPC QCVMCGKAFT</p> <p>QASSLIAHVR QHTGEKPYVC ERGKRFVQS SQLANHIRHH DNIRPHKCSV CSAFVNVDG</p> <p>LSKHIIHTG EKPYLCDKCG RGFNRVDNLR SHVKTVHQGK AGIKILEPEE GSEVSVTVTD</p> <p>DMVTLATEAL AATAVTQLTV VPGAAVTAD ETEVLKAEIS KAVKQVQEED PNTHILYACD</p>
-----------	--

SCGDKFLDAN SLAQHVRIHT AQALVMFQTD ADFYQQYGGPG GTWPAGQVLQ AGELVFRPRD  
GAEGQPALAE TSPTAPECPP PAE

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

---

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human ZBTB17 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

---

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

Sterility:

0.22 µm filtered

---

Endotoxin Level:

Protein is endotoxin free.

---

## Product Details

Grade: Crystallography grade

## Target Details

Target: ZBTB17

Alternative Name: ZBTB17 ([ZBTB17 Products](#))

Background: Transcription factor that can function as an activator or repressor depending on its binding partners, and by targeting negative regulators of cell cycle progression. Plays a critical role in early lymphocyte development, where it is essential to prevent apoptosis in lymphoid precursors, allowing them to survive in response to IL7 and undergo proper lineage commitment. Has been shown to bind to the promoters of adenovirus major late protein and cyclin D1 and activate transcription. Required for early embryonic development during gastrulation. Represses RB1 transcription, this repression can be blocked by interaction with ZBTB49 isoform 3/ZNF509S1 (PubMed:25245946). {ECO:0000269|PubMed:16142238, ECO:0000269|PubMed:19164764, ECO:0000269|PubMed:25245946, ECO:0000269|PubMed:9308237, ECO:0000269|PubMed:9312026}.

Molecular Weight: 88.9 kDa Including tag.

UniProt: [Q13105](#)

Pathways: [Intracellular Steroid Hormone Receptor Signaling Pathway](#), [Regulation of Intracellular Steroid Hormone Receptor Signaling](#), [ER-Nucleus Signaling](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

## Handling

Format: Liquid

## Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process