

[Go to Product page](#)

Datasheet for ABIN3096475 ZBTB38 Protein (AA 1-1195) (Strep Tag)

Overview

Quantity:	1 mg
Target:	ZBTB38
Protein Characteristics:	AA 1-1195
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ZBTB38 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:	MTVMSLSRDL KDDFHSDTVL SILNEQIRIG ILCDVTIIVE DTKFKAHSNV LAASSLYFKN IFWSHTICIS SHVLELDDLK AEFVTEILNY IYSSTVVVKR QETVTDLAAA GKKLGISFLE DLTDRNFSNS PGPYVFCITE KGVVKEEKNE KRHEEPAITN GPRITNAFSI IETENSNNMF SPLDLRASFK KVSDSMRTAS LCLERTDVCH EAEPVRTLAE HSYAVSSVAE AYRSQPVREH DGSSPGNTGK ENCEALAAKP KTCRKPKTFS IPQSDSATE NIPPPPVSNL EVNQERSQPQ AAVLTRSKSP NNEGDVHFSR EDENQSSDVP GPAAAEVPLP VYNCSCCSKA FDSSTLLSAH MQLHKPTQEP LVCKYCNKQF TTLNRLDRHE QICMRSSHMP IPGGNQRFLE NYPTIGQNGG SFTGPEPLLS ENRIGEFSSST GSTLPDTHDM VKFVNGQMLY SCVVCKRSYV TLSSLRRHAN VHSWRRTPYC HYCNKVFALA EYRTRHEIWH TGERRYQCIF CLETFTMTYYI LKNHQKSFHA IDHRLSISKK TANGGLKPSV YPYKLYRLLP MKCKRAPYKS YRNSSYENAR ENSQMNESAP GTYYVQNPHS SELPTLNFQD TVNTLTNSPA IPLETSACQD IPTSANVQNA EGTKWGEEAL KMDLDNNFYS TEVSVSSTEN AVSSDLRAGD VPVLSLSNSS ENAASVISYS GSAPSVIVHS
-----------	---

SQFSSVIMHS NAIAAMTSSN HRAFSDPAVS QSLKDDSKPE PDKVGRFASR PKSIEKKKT
TSHTRGEIPE ESNYVADPGG SLSKTTNIAE ETSKIETYIA KPALPGTSTN SNVAPLCQIT
VKIGNEAIVK RHILGSKLFY KRGRRPKYQM QEEPLPQGND PEPSGDSPLG LCQSECMEMS
EVFDDASDQD STDKPWRPYY NYKPKKKSQRQ LKKMRKVNWR KEHGNRSPSH KCKYPAELDC
AVGKAPQDKP FEEEETKEMP KLQCELCDDG KAVGAGNQGR PHRHLSRPY ACELCAKQFQ
SPSTLKMHRM CHTGEKPYQC KTCGRCFVSQ GNLQKHERIH LGLKEFVCQY CNKAFTLNET
LKIHERIHTG EKRYHCQFCF QRFLYLSTKR NHEQRHIREH NGKGYACFQC PKICKTAAAL
GMHQKKHLFK SPSQKEKIGD VCHENSNPLE NQHFIGSEDN DQKDNIQTGV ENVVL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Product Details

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	ZBTB38
Alternative Name:	ZBTB38 (ZBTB38 Products)
Background:	Zinc finger and BTB domain-containing protein 38,FUNCTION: Transcriptional regulator with bimodal DNA-binding specificity. Binds with a higher affinity to methylated CpG dinucleotides in the consensus sequence 5'-CGCG-3' but can also bind to E-box elements (5'-CACGTG-3'). Can also bind specifically to a single methyl-CpG pair. Represses transcription in a methyl-CpG-dependent manner (PubMed:16354688). Plays an important role in regulating DNA replication and common fragile sites (CFS) stability in a RBBP6- and MCM10-dependent manner, represses expression of MCM10 which plays an important role in DNA-replication (PubMed:24726359). Acts as a transcriptional activator. May be involved in the differentiation and/or survival of late postmitotic neurons (By similarity). {ECO:0000250 UniProtKB:Q5EXX3, ECO:0000269 PubMed:16354688, ECO:0000269 PubMed:24726359}.
Molecular Weight:	134.3 kDa
UniProt:	Q8NAP3

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)