antibodies .-online.com

Datasheet for ABIN3097037 KDELR1 Protein (AA 1-212) (Strep Tag)



Image



Overview

eotiana tabacum) : protein is labelled with Strep Tag. rn Blotting (WB), SDS-PAGE (SDS)
protein is labelled with Strep Tag.
rn Blotting (WB), SDS-PAGE (SDS)
L SHLLAIILLL LKIWKSRSCA GISGKSQVLF AVVFTARYLD LFTNYISLYN
C SFTTVWLIYS KFKATYDGNH DTFRVEFLVV PTAILAFLVN HDFTPLEILW
ILPQLFMVSK TGEAETITSH YLFALGVYRT LYLFNWIWRY HFEGFFDLIA
YCDFFYLYIT KVLKGKKLSL PA
thout tag. The proposed Strep-Tag is based on experience s with the expression
ferent complexity of the protein could make another tag necessary. In case you
al request, please contact us.
ermany - from design to production - by highly experienced protein experts.
breased with ALICE® and purified by multi-step, protein-specific process to ensure ding and modification.
:

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3097037 | 04/17/2024 | Copyright antibodies-online. All rights reserved.

reported (not tested by us and not guaranteed).

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

• ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for
protein production are removed, leaving only the protein production machinery and the
mitochondria to drive the reaction. During our lysate completion steps, the additional
components needed for protein production (amino acids, cofactors, etc.) are added to
produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System
	(ALICE®):
	1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag
	capture material. Eluate fractions are analyzed by SDS-PAGE.
	2. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
	Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3097037 | 04/17/2024 | Copyright antibodies-online. All rights reserved.

Product Details

Grade:

Crystallography grade

Target Details

Target:	KDELR1
Alternative Name:	KDELR1 (KDELR1 Products)
Background:	ER lumen protein-retaining receptor 1 (KDEL endoplasmic reticulum protein retention receptor 1) (KDEL receptor 1) (Putative MAPK-activating protein PM23),FUNCTION: Receptor for the C- terminal sequence motif K-D-E-L that is present on endoplasmic reticulum resident proteins and that mediates their recycling from the Golgi back to the endoplasmic reticulum. {ECO:0000269 PubMed:11703931, ECO:0000269 PubMed:14517323, ECO:0000269 PubMed:18086916, ECO:0000269 PubMed:30846601, ECO:0000269 PubMed:8392934}.
Molecular Weight:	24.5 kDa
UniProt:	P24390
Pathways:	Maintenance of Protein Location

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational
	modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3097037 | 04/17/2024 | Copyright antibodies-online. All rights reserved.

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process